



1.0 INTRODUCTION

The practices in this manual provide installation and maintenance information for the CEECO Model SSW 323-E telephone, equipped with ADT1.03 firmware.

The information in this manual is subject to change without notification. For information not included in this manual, please call or write:

CEECO
Customer Service
1580 NW 65th Avenue
Plantation, FL 33313

(954) 587-5430
(954) 587-5440 (FAX)

2.0 GENERAL

- 2.1 The CEECO Model SSW-323-E speed-dial telephone is a microprocessor-based telephone designed to offer single-button speed-dialing and deter fraud. The microprocessor keeps the transmitter muted (off) during periods of dial tone to deter the use of hand held dialers. Attempts to “hookswitch-dial” a number by flashing the hook-switch will cause the microprocessor to “reset” and open the phone line.
- 2.2 One of twelve preprogrammed numbers, of up to twenty three (23) digits in length, may be speed-dialed by pressing one button on the Single Button Access (SBA) keypad located on the front of the telephone.
- 2.3 Programming is accomplished via the 12-button SBA keypad.

NOTE: If the telephone is connected to a working telephone line during programming, various Central Office signals may be heard after the # key is pressed (i.e. fast busy tone, operator reorder tone, etc...) Please disregard any such tones, as they will have no bearing on the programming.