

MHW(D)-341 SERIES

Stainless Steel, Vandal Resistant, Rugged Telephones Built to Last

The CEECO MHW/MHD Series telephones were specifically designed for high vandalism and use areas subject to fraud and abuse, plus corrosion and pollutants that may be airborne. The unit is completely sealed and constructed of rugged stainless steel. The MHW/MHD Series are equipped with a built in magnetic hookswitch, volume control button with background noise reduction, marine quality chrome keypad (F model), armored cord handset, and tamper resistant security screws. CEECO's MHW/MHD models are an excellent choice for your toughest customers!



FEATURES

Measurements:

9 3/4"H x 6 3/8"W x 4"D

Completely Sealed Unit,
One Piece for *Ultimate Durability*

"Built-In" Magnetic Hookswitch

Line Powered

Volume Control Button with Background
Noise Elimination

Mounting Backplate Included

Dial Equipped with Gold Contacts and Conductive Rubber
Membrane Resists Moisture, Heat, and Abuse

Requires 301-037 Security Tool

Available in Desk and Wall Mount



Communication Equipment
& Engineering Company

<http://www.ceeco.net>

Email: sales@ceeco.net

MODELS

IP-	VoIP , Voice over Internet Protocol
MHW-341-D	Sealed vandal resistant, stainless steel, <u>wall</u> mount telephone with magnetic hookswitch, armored cord handset, and single number autodial.
MHD-341-D	Sealed vandal resistant, stainless steel, <u>desk</u> telephone with magnetic hookswitch, armored cord handset, and single number autodial.
MHW-341-F	Sealed vandal resistant, stainless steel, <u>wall</u> mount telephone with magnetic hookswitch, armored cord handset, and keypad/dial.
MHD-341-F	Sealed vandal resistant, stainless steel, <u>desk</u> telephone with magnetic hookswitch, armored cord handset, and keypad/dial.
MHW-341-D	Sealed vandal resistant, stainless steel, <u>wall</u> mount telephone for ring-down operation with armored cord handset and magnetic hookswitch.
MHD-341-D	Sealed vandal resistant, stainless steel, <u>desk</u> mount telephone for ring-down operation with armored cord handset and magnetic hookswitch.

CEECO has been providing telecom solutions since 1930. Our vandal resistant technology focuses on providing public communication solutions while reducing replacement and repair costs, lowering the customer's total cost of ownership. CEECO also offers custom design and branding to your specifications. Our commitment to providing expert service and support extends beyond the warranty of our product.

We offer service for the life of the product!

CEECO is devoted to giving you the quality and service you deserve.

Providing Telecommunication Solutions Since 1930

Communication Equipment
& Engineering Company

<http://www.ceeco.net>

Email: sales@ceeco.net

519 SW Park Street

Okeechobee, FL 34972

Voice 863-357-0798

Fax 863-357-0006

SPECIFICATIONS

PRODUCT MANUALS WITH FULL FEATURES AND FUNCTIONS AVAILABLE UPON REQUEST

SPECIFICATIONS

INPUT POWER:	C.O. Line Powered or PBX
LOOP CURRENT:	23mA min to 80mA max
IMPEDANCE:	600 ohms
SIGNALING:	DTMF
HEARING AID COMPATIBLE:	Meets EIA standards
ENVIRONMENTAL:	Temperature: -30°C (-22°F) to 90°C (194°F) Humidity 0%-90% non-condensating
RINGER EQUIVALENCY:	0.4A
TYPE JACK:	RJ11C
TELEPHONE:	Brushed 14ga. Stainless Steel
DIMENSIONS:	6 3/8" Wide x 9 3/4" High x 4" Deep
MOUNTING:	Vertical or Horizontal surface mount
WEIGHT:	6 lbs.
FCC REGISTRATION:	BW88T7-13717-TE-T
UL LISTED NO.:	60F5

ACCESSORIES:

301-037	Security Tool (required for installation)
---------	--



WARRANTY POLICY

GENERAL

CEEEO guarantees its products to be free from defects in material and workmanship for a period of 365 days from the date of original purchase. CEEEO's obligation under this warranty is limited to repair or replacement of any part found to be defective by CEEEO.

UNDER NO CIRCUMSTANCES shall CEEEO be liable for loss, damage, cost of repair or consequential damages of any kind, which have been caused by neglect, abuse or improper operation of equipment.

CEEEO will repair or replace any unit during this period if found to be defective for reasons other than abuse and improper use or improper installation. It is the buyer's responsibility to return the defective unit to the factory. CEEEO will then repair or replace any defective parts and return them to the buyer free of charge. CEEEO will continue to offer repair service for the life of the product.

REPAIR POLICY

WARRANTY REPAIR

Any device returned requiring warranty service, repair or credit must be accompanied with a "Return Material Authorization" (RMA) Form. It must include: RMA Number, return shipping instructions, original purchase order number, serial number and special marking instructions. A tag with the trouble observed must be attached to the defective unit. This information must be inside the shipping container.

NON-WARRANTY REPAIR

CEEEO will repair equipment out of warranty for a set charge plus parts. The customer must pay the shipping costs both directions.

Providing Telecommunication Solutions Since 1930

Communication Equipment
& Engineering Company

<http://www.ceeco.net>

Email: sales@ceeco.net

519 SW Park Street

Okeechobee, FL 34972

Voice 863-357-0798

Fax 863-357-0006