


DHC Powerline Programmers/Controllers

DESCRIPTION

CAT. NO.

Toscana™ Deluxe Programmer — A powerful home automation controller that provides one-touch access to up to 64 deluxe lighting scenes and direct remote control of up to 256 devices. Deluxe scenes can control up to 256 addresses to preset levels when used with HCS08-1TW, HCS10-1TW, HCM06-1TW and HCM10-1TW receivers. All other DHC receivers can be included in deluxe scenes as ON/OFF loads. Use HCCS7-1TW as a remote to activate deluxe scenes. Toscana features 2-way communication to confirm locally initiated status changes on receivers with 2-way capability. It allows up to 64 timed events (appliances ON/OFF, lights ON/OFF/DIM /BRIGHT) including lights ON/OFF at dusk/dawn based on an astronomical clock. Permits input of real-named devices (e.g. "wall sconce") instead of device code (e.g. "B5"). Individual timed events or up to 3 groups of timed events can be run on a recurring basis. Built-in learning infrared receiver can learn up to 16 button commands from any standard IR remote and trigger lighting events. Permanent memory feature guaranteed 20-year life. All PC software and Toscana upgrades provided for life. Mounts on standard 4-gang box. Shipped with white frame and white cover. Color change kits available for other colors.



HCCPG-1TW



HCCPG-1TW

Rated: 120V 60Hz AC only. **Power Consumption:** 3 Watts

COLOR CHANGE KITS FOR TOSCANA

Cat. No. Ivory Cover/Ivory Frame	Cat. No. White Cover/White Frame	Cat. No. Almond Cover/Almond Frame	Cat. No. Smoke-Cover/White Frame
DCKPG-0II	DCKPG-0WW	DCKPG-0AA	DCKPG-0SW

Table Top Controller★— Provides manual remote control for all 256 DHC addresses. Command functions include ON/OFF, ALL LIGHTS ON/ALL OFF and DIM/BRIGHTEN. The 6320 plugs into any 120 volt AC receptacle to transmit command signals over existing AC wiring.

Rated: 120V 60Hz AC only.




6320



6312-I

Basic Wall Mounted Programmer — A powerful home automation controller that is easy to install and use. Compact, low-profile unit fits in single-gang wallbox. Accepts up to four addresses; maximum two ON and two OFF commands per address. SECURITY mode randomly selects ON and OFF times to make an empty home appear occupied. ALL LIGHTS ON switch acts as a panic-button lighting system, switching on all DHC switch modules with one touch. DIM/BRIGHTEN command can automatically adjust lighting levels of all fixtures controlled by DHC dimming receivers. LED readout shows time and program status; battery back-up protects clock setting and program status for ten hours during power interruption. Available in Ivory, White, and Almond.

Rated: 120V 60Hz AC only **Power Consumption:** 2.5 watts maximum



6312-I, -W, -A

SPECIFICATIONS & FEATURES

- Programmer adds user-devised scheduling to DHC automated control of lights and appliances for greater convenience, energy savings and security
- Programmer and Controllers send DHC switching commands over existing 60Hz 120V AC house wiring.
- Backed by a Limited Two-Year Warranty

TESTING & CODE COMPLIANCE

- UL Listed (File #E-66800)
- CSA Certified (File #LR-54628)
- NOM Certified (#057)
- UL 224A Tested (and others as appropriate)


COLOR

Colors available as listed: Ivory (-I), White (-W), Almond (-A). See chart for Toscana color change kits.

MATERIAL CHARACTERISTICS

Environmental: Flammability (Engineering Thermoplastic) UL-94, V2 Rating
Operating Temperature: -40°C to 120°C

All devices are UL Listed. Also CSA Certified except where indicated by★



BASIC WALL MOUNTED PROGRAMMER—Cat. No. 6312

Note: A Cat. No. HCA02-10E System Amplifier must be installed in all panels in every DHC installation to ensure adequate signal strength.





TABLE TOP CONTROLLER—Cat. No. 6320



TOSCANA CONTROLLER—Cat. No. HCCPG-1TW