


HOME ENTERTAINMENT

SPEAKERS & AUDIO ACCESSORIES



The On-Q Universal Remote Control introduces an innovative feature called Whole House Commands. Whole House Commands control all the keypads in the system from any keypad location. You can mute, turn on/off, change source and raise or lower volume for all the keypads without leaving the room. Imagine setting the music source for a party from one location and adjusting the volume to that perfect level. When the party is over, simply point the remote at the keypad to turn off all the volume controls in the home. Whole house commands, and single room commands, add the simplicity that has been missing from multi-room audio systems.



UNIVERSAL REMOTE CONTROL

**ON-Q
EXCLUSIVE!**


Whole house commands control all keypads at the same time from anywhere in the home.

Room commands feature volume control, mute, on/off and source selection.

Able to learn IR commands from source equipment remote controls. Plus provides control of seven consumer devices such as CD, cable box and satellite.



F7427



FEATURES

- Rubberized back for a good grip.
- "Always on" lyriQ™ Audio System Control.
- 7 device universal remote to control the lyriQ™ Audio System and all your other gear.

RELATED PRODUCTS



HOME THEATER CONNECTION FRAMES
F7661-WH



UNIVERSAL IR TARGET
F7426

- Allows control of multi-media equipment stored behind entertainment center's closed doors.
- Small target mounts discreetly outside of entertainment center using double-sided tape.

IR AND ACCESSORIES

PART #	DESCRIPTION
F7427	Universal IR Remote Control
F7651-IV (Ivory)	2-Binding Post Speaker Tap
F7651-LA (Lt. Almond)	2-Binding Post Speaker Tap
F7651-WH (White)	2-Binding Post Speaker Tap
F7652-IV (Ivory)	Audio Decorator Tap
F7652-LA (Lt. Almond)	Audio Decorator Tap
F7652-WH (White)	Audio Decorator Tap
F7661-WH (White)	Home Theater 2-Gang Decorator Tap
F7661-IV (Ivory)	Home Theater 2-Gang Decorator Tap
F7661-LA (Lt. Almond)	Home Theater 2-Gang Decorator Tap
F7425	Dual IR Mouse Emitter
F7426	Universal IR Target



evōQ™ 7000 SERIES SPEAKERS

Top-of-the-line speaker series from On-Q designed to maximize the best in distributed audio and home theater installations.

High-power handling and adjustment capabilities ensure ultimate in home sound.



FEATURES

- Suitable for moisture rich environments.
- Sleek design blends with any décor as attractive white finish can be painted. Mounts flush into walls and ceilings.
- High-grade advanced crossover allows for optimal frequency distribution.
- Features glass fiber woofers and aluminum dome tweeters for excellent performance.
- Foam gaskets minimize vibration and provide air-tight seal.
- Fully adjustable treble output level with pivoting tweeter easily tailors the sound to any taste.
- Easy installation with self-centering screw heads and compatibility with On-Q Preconstruction Speaker Brackets.


RELATED PRODUCTS



6.5" OUTDOOR SPEAKER
364670-04 (BLACK)



12" SUB-WOOFER
364671-01




HECC 7.1 BASIC
364676-03

evōQ™ 7000 SERIES SPEAKERS

PART #	DESCRIPTION	FREQUENCY	EFFICIENCY	POWER RMS / PEAK	IMPEDANCE
364665-01	6.5" In-Ceiling Speaker	55 Hz-20 KHz	89 dB	100 W / 200 W	8 Ohm
364666-01	8" In-Ceiling Speaker	45 Hz-20 KHz	89 dB	125 W / 250 W	8 Ohm
364667-01	6.5" In-Wall Speaker	55 Hz-20 KHz	89 dB	100 W / 200 W	8 Ohm
364668-01	8" In-Wall Speaker	45 Hz-20 KHz	89 dB	125 W / 250 W	8 Ohm
364669-01	6.5" In-Ceiling Dual Voice Coil Stereo Speaker	55 Hz-20 KHz	89 dB	100 W / 200 W	8 Ohm
364670-02 (White)	6.5" Outdoor Speaker	55 Hz-20 KHz	89 dB	100 W / 200 W	8 Ohm
364670-04 (Black)	6.5" Outdoor Speaker	55 Hz-20 KHz	89 dB	100 W / 200 W	8 Ohm
364671-01	12" Sub-woofer	35 Hz-200 Hz	N/A	200 W Amplified	
364784-02 (White)	Replacement Grill, 6.5" Outdoor Speaker				
364784-04 (Black)	Replacement Grill, 6.5" Outdoor Speaker				

HOME ENTERTAINMENT

evōQ™ 5000 SERIES SPEAKERS



The evōQ™ 5000 Series Speakers were carefully designed with precision matched components to create fantastic performance. As a result, our high-performance evōQ™ 5000 Series Speakers provide a full, crisp sound throughout the home — but at an affordable value. The speakers install flush into the wall or ceiling, blending into the surface barely noticed.



evōQ™ 5000 SERIES SPEAKERS

Designed specifically for superior performance in home theater applications, this speaker series can also serve as an upgrade to the evōQ™ 3000 Series Speakers to enhance a home's distributed audio.

Suitable for moisture rich environments.



364662-01
In-Wall

364660-01
In-Ceiling

FEATURES

- Feature poly woofers and UFLC soft dome tweeters to provide excellent power capacity for a strong, smooth deep sound.
- Foam gaskets minimize vibration and provide airtight seal.
- Easy installation with self-centering screw heads and compatibility with On-Q Pre-Construction Speaker Brackets.
- Attractive white finish with integrated grill scrim cloth can be painted to match any décor.

RELATED PRODUCTS



10" 150 WATT AMPLIFIED,
SUB-WOOFER

364664-01



6.5" IN-CEILING
PRE-CONSTRUCTION
SPEAKER BRACKET

364672-02


evōQ™ 5000 SERIES SPEAKERS

PART #	DESCRIPTION	FREQUENCY	EFFICIENCY	POWER RMS / PEAK	IMPEDANCE
364660-01	6.5" In-Ceiling	60 Hz-20 KHz	90 dB	75 W / 150 W	8 Ohm
364661-01	8" In-Ceiling	50 Hz-20 KHz	90 dB	100 W / 200 W	8 Ohm
364662-01	6.5" In-Wall	60 Hz-20 KHz	90 dB	75 W / 150 W	8 Ohm
364663-01	8" In-Wall	50 Hz-20K Hz	90 dB	100 W / 200 W	8 Ohm
364664-01	10" Sub-woofer	30 Hz-200 Hz	N/A	150 W Amplified	8 Ohm
364672-02	6.5" In-Ceiling Pre-Construction Speaker Bracket				
364673-02	8" In-Ceiling Pre-Construction Speaker Bracket				
364674-02	6.5" In-Wall Pre-Construction Speaker Bracket				
364675-02	8" In-Wall Pre-Construction Speaker Bracket				

evōQ™ 3000 SERIES SPEAKERS

Exceptional value for affordable whole house audio distribution.

Affordable high-efficiency speakers with low distortion provide a crisp, clear full sound.



364656-02
In-Wall

364654-02
In-Ceiling

FEATURES

- Feature mica fiber woofers, PEI mylar tweeters.
- Foam gaskets minimize vibration and provide air-tight seal.
- Easy installation with self-centering screw heads and compatibility with On-Q Pre-Construction Speaker Brackets.
- Excellent sound quality at low and high volumes.
- Suitable for moisture rich environments.
- Single stereo model perfect for smaller rooms when only one speaker is needed.
- Attractive white finish with integrated scrim cloth can be painted to match any décor.

RELATED PRODUCTS



6.5" IN-CEILING DUAL VOICE COIL STEREO SPEAKER
364658-01

5.25" OUTDOOR SPEAKER
364659-04 (BLACK)

6.5" IN-CEILING PRE-CONSTRUCTION SPEAKER BRACKET
364672-02

evōQ™ 3000 SERIES SPEAKERS

PART #	DESCRIPTION	FREQUENCY	EFFICIENCY	POWER RMS/PEAK	IMPEDANCE
364654-02	6.5" In-Ceiling Speaker (pair)	60 Hz-20 KHz	91 dB	50 W / 100 W	8 Ohm
364655-02	8" In-Ceiling Speaker (pair)	50 Hz-20 KHz	91 dB	75 W / 150 W	8 Ohm
364656-02	6.5" In-Wall Speaker (pair)	60 Hz-20 KHz	91 dB	50 W / 100 W	8 Ohm
364657-02	8" In-Wall Speaker (pair)	50 Hz-20 KHz	91 dB	75 W / 150 W	8 Ohm
364658-01	6.5" In-Ceiling Dual Voice Coil Stereo Speaker	60 Hz-20 KHz	91 dB	50 W / 100 W	8 Ohm
364659-02 (White)	5.25" Outdoor Speaker (pair)	60 Hz-20 KHz	90 dB	50 W / 100 W	8 Ohm
364659-04 (Black)	5.25" Outdoor Speaker (pair)	60 Hz-20 KHz	90 dB	50 W / 100 W	8 Ohm
364783-02	Replacement Grill, 5.25" Outdoor Speaker, White				
364783-04	Replacement Grill, 5.25" Outdoor Speaker, Black				

HOME ENTERTAINMENT

evōQ™ 1000 SERIES SPEAKERS




evōQ™ 1000 Series Speakers bring whole-house audio distribution to a price point that any buyer can afford — without sacrificing quality sound. In fact, these speakers rank among the highest in value in their price range on today's market. Sold in pairs, the high-efficiency speakers install in a snap by utilizing self-centering screw heads and can be used with On-Q Pre-Construction Brackets.



evōQ™ 1000 SERIES, 6.5" IN-WALL AND IN-CEILING SPEAKER

Feature poly fiber woofers, PEI mylar tweeters and foam gaskets to minimize vibration and provide air-tight seal.

Frequency response is 60 Hz to 20 KHz. RMS power is 50 W, with peak power handling reaching 100 W.



Suitable for moisture rich environments.

evōQ™ 1000 SERIES SPEAKERS

PART #	DESCRIPTION	FREQUENCY	EFFICIENCY	POWER RMS / PEAK	IMPEDANCE	TWEETER	WOOFER
364765-02	6.5" In-Wall Speaker (pair)	60 Hz to 20 Hz	90 dB	50 W / 100 W	8 Ohms	0.75" Mylar	6.5" Poly
364764-02	6.5" In-Ceiling Speaker (pair)	60 Hz to 20 Hz	90 dB	50 W / 100 W	8 Ohms	0.75" Mylar	6.5" Poly

IMPEDANCE AUDIO DISTRIBUTION

Provides color-coded connections for up to six sets of speakers with impedance.

Features removable connectors for easy wire termination.



364454-01



364769-01

- 75 W RMS volume control runs impedance matching through jumpers on the back.
- Allows sets of speakers (2x 4x 8x) to be added without loss of volume control.

ON-Q AUDIO DISTRIBUTION

PART #	DESCRIPTION
364454-01	6 Room Audio Module
364741-01 (White)	4-Zone Audio Distribution Outlet
364741-02 (Almond)	4-Zone Audio Distribution Outlet
364741-03 (Ivory)	4-Zone Audio Distribution Outlet

PART #	DESCRIPTION
364769-01 (White)	Speaker/Impedance Matching Volume Control
364769-02 (Almond)	Speaker/Impedance Matching Volume Control
364769-03 (Ivory)	Speaker/Impedance Matching Volume Control
364520-01 (White)	Impedance Matching Volume Control
364520-03 (Ivory)	Impedance Matching Volume Control

HOME ENTERTAINMENT CONNECTION CENTERS (HECC™)

HOME ENTERTAINMENT CONNECTION CENTERS




Features connections for CATV, digital satellite and auxiliary video input; and telecom connections for data and telephone.

Speaker connections for complete 5.1, 6.1 or 7.1 surround sound home theater systems.

Telecom connections for data and telephone.

Video connections for CATV, digital satellite and auxiliary video input devices.




364676-02

Accepts inserts for many other applications.


FEATURES

- Connections for front, side, rear and center speakers and sub woofers.
- Rugged metal pre-wire bracket mounts on standard 16" on-center studs.
- Features an installer side and a user side that require no tools.
- Provides four openings for On-Q AnyPort Outlet inserts for custom applications.
- White, ready-to-use cover (that can also be painted to fit any décor) allows wires to pass through while concealing all unsightly connections.

RELATED PRODUCTS



HECC 7.1, BASIC
364676-03



HECC ROUGH-IN
BRACKET
364581-01

HOME ENTERTAINMENT CONNECTION CENTERS, 6-ROOM AUDIO

PART #	DESCRIPTION
364676-02	HECC 7.1, 6-Room Audio New Construction
364676-05	HECC 7.1, 6-Room Audio Retrofit

HOME ENTERTAINMENT CONNECTION CENTERS, BASIC

PART #	DESCRIPTION
364676-03	HECC 7.1, Basic New Construction
364676-06	HECC 7.1, Basic Retrofit
364581-01	HECC Rough-In Bracket
364761-01	6-Room Audio Module for HECC 7.1
364886-01	lyriQ™ Source Input Mounting Plate
364856-01	Replacement HECC Retrofit Clip Kit (Pair)

HOME ENTERTAINMENT

HOME SPEAKERS



OVERVIEW

Designed to be efficient with multi-room audio systems, our award-winning speakers offer exceptional sound quality at a great value. Components of each of our four speaker lines have been precision matched to create optimal sound in a wide range of environments — and for a wide range of audio needs. Use this easy-to-reference chart to spec any project's speaker configuration, from small and simple to complex home theater systems.



Description	Part Number	Sold As	Suitable for Moisture	Efficiency	Power (RMS/Peak)	Frequency Response
-------------	-------------	---------	-----------------------	------------	------------------	--------------------

evōQ™ 7000 Series Speakers						
6.5" In-Ceiling	364665-01	Each	x	89 dB	100 W / 200 W	55-20 K
8" In-Ceiling	364666-01	Each	x	89 dB	125 W / 250 W	45-20 K
6.5" In-Wall	364667-01	Each	x	89 dB	100 W / 200 W	55-20 K
8" In-Wall	364668-01	Each	x	89 dB	125 W / 250 W	45-20 K
6.5" Dual Voice Coil In-Ceiling Stereo	364669-01	Each	x	89 dB	100 W / 200 W	55-20 K
6.5" Outdoor White	364670-02	Pair	x	89 dB	100 W / 200 W	55-20 K
6.5" Outdoor Black	364670-04	Pair	x	89 dB	100 W / 200 W	55-20 K
12" 200 W Sub-Woofer	364671-01	Each	NO	powered	200 W RMS	30-200 Hz
evōQ™ 5000 Series Speakers						
6.5" In-Ceiling	364660-01	Each	x	90 dB	75 W / 150 W	60-20 K
8" In-Ceiling	364661-01	Each	x	90 dB	100 W / 200 W	50-20 K
6.5" In-Wall	364662-01	Each	x	90 dB	75 W / 150 W	60-20 K
8" In-Wall	364663-01	Each	x	90 dB	100 W / 200 W	50-20 K
10" 150 W Sub-Woofer	364664-01	Each	NO	powered	150 W RMS	35-200 Hz
evōQ™ 3000 Series Speakers						
6.5" In-Ceiling	364654-02	Pair	x	91 dB	50 W / 100 W	60-20 K
8" In-Ceiling	364655-02	Pair	x	91 dB	75 W / 150 W	50-20 K
6.5" In-Wall	364656-02	Pair	x	91 dB	50 W / 100 W	60-20 K
8" In-Wall	364657-02	Pair	x	91 dB	75 W / 150 W	50-20 K
6.5" Dual Voice Coil In-Ceiling Stereo	364658-01	Each	x	91 dB	50 W / 100 W	60-20 K
5.25" Outdoor White	364659-02	Pair	x	90 dB	50 W / 100 W	65-20 K
5.25" Outdoor Black	364659-04	Pair	x	90 dB	50 W / 100 W	65-20 K
evōQ™ 1000 Series Speakers						
6.5" In-Ceiling	364764-02	Pair	x	90 dB	50 W / 100 W	60-20 K
6.5" In-Wall	364765-02	Pair	x	90 dB	50 W / 100 W	60-20 K



Woofer Type	Tweeter Type	Preconstruction Bracket Part Number	Replacement Grill Part Number	Drywall Hole Size	Overall Speaker Size: WxH	Speaker Depth
-------------	--------------	-------------------------------------	-------------------------------	-------------------	---------------------------	---------------

Glass Fiber	1" Alum. Adj.	364672-02	364690-01	7.75" dia.	9" dia.	3.29"
Glass Fiber	1" Alum. Adj.	364673-02	364691-01	9.5" dia.	10.9" dia.	3.65"
Glass Fiber	1" Alum. Adj.	364674-02	364692-01	7.5"x10.75"	9.02"x12.31"	3.16"
Glass Fiber	1" Alum. Adj.	364675-02	364693-01	8.75"x12.75"	10"x14.25"	3.65"
Glass Fiber	1" Alum. Adj.	364672-02	364690-01	7.75" dia.	9" dia.	3.29"
Glass Fiber	1" Alum. Adj.	N/A	364784-02	N/A	8.25"x12.5"	8.25"
Glass Fiber	1" Alum. Adj.	N/A	364784-04	N/A	8.25"x12.5"	8.25"
Glass Fiber	N/A	N/A	N/A	N/A	16.5"x20"	16.5"

Poly	1" UFLC Dome	364672-02	364690-01	7.75" dia.	9" dia.	3.29"
Poly	1" UFLC Dome	364673-02	364691-01	9.5" dia.	10.9" dia.	3.65"
Poly	1" UFLC Dome	364674-02	364692-01	7.5"x10.75"	9.02"x12.31"	3.16"
Poly	1" UFLC Dome	364675-02	364693-01	8.75"x12.75"	10"x14.25"	3.65"
Poly	N/A	N/A	N/A	N/A	14.5"x16"	16.5"

Mica Fiber	1" PEI Mylar	364672-02	364690-01	7.75" dia.	9" dia.	3.29"
Mica Fiber	1" PEI Mylar	364673-02	364691-01	9.5" dia.	10.9" dia.	3.65"
Mica Fiber	1" PEI Mylar	364674-02	364692-01	7.5"x10.75"	9.02"x12.31"	3.16"
Mica Fiber	1" PEI Mylar	364675-02	364693-01	8.75"x12.75"	10"x14.25"	3.65"
Mica Fiber	1" PEI Mylar	364672-02	364690-01	7.75" dia.	9" dia.	3.29"
Poly	1" PEI Mylar	N/A	364783-02	N/A	6.3"x9.45"	6.61"
Poly	1" PEI Mylar	N/A	364783-04	N/A	6.3"x9.45"	6.61"

Poly	Mylar	364672-02	364690-01	7.75" dia.	9.02"x12.31"	3.5"
Poly	Mylar	364672-02	364692-01	7.5"x10.75"	9" dia.	3.5"

www.onqlegrand.com

301 Fulling Mill Road, Suite G
Middletown, PA 17057
(800) 321-2343

© 2005 by On-Q/Legrand.
All Rights Reserved. Printed USA

Part #1307841 50M-KP/TB-09/05

