PRODUCT SPECIFICATIONS / INFO





23CM-11

UPC Code: 07847780095

Description 20 Amp, 125 Volt, NEMA L5-20P, 2P, 3W, Locking Plug,Industrial Grade, Grounding, Corrosion Resistant - Yellow-White

Product Features

NEMA: L5-20P Color: Yellow-White

Color: Yellow-White




NEMA: L5-20P



Electrical Specifications		
Grounding		
Amperage	9	
	125 Volt	
	L5-20P	
Pole		
Wire		
	Withstands 2000V per UL498	
Current Interrupting	Certified for current interrupting at full rated current	
Temperature Rise	Max 30C at 250 cycles OL at 200 pct rated current	
Material Specifications		
	Super Tough Nylon	
Face Material	Nylon	
	Thermoplastic	
Cord-Clamp	Nylon	
Clamp Insert	Nylon	
Blades/Contacts	Nickel-Plated Brass	
Terminal Screws	Nickel-Plated Brass 8- 32	
Assembly Screws	Stainless Steel 300	
Color	Yellow-White	
Standards and Certifications		
NEMA		
ANSI		
	498	
UL Fed Spec WC-596	File E13393	
CSA C22.2 No. 42		
NOM	057	
Warranty	10-Year Limited	

Environmental	Specifications
Flammability	Rated V-2 per UL94
Operating Temperature	-40C to 60C
Mechanical Specifications	
Terminal ID	Brass-Hot, Green- Ground, Silver- Neutral
Terminal Accom.	18-10 AWG
Product ID	Ratings and NEMA I.D. permanently marked on device
Cord Range	.245700

Dimensional Diagram



SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc. 201 North Service Road, Melville, NY 11747 Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd. 165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 · FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2007-2011 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

