Tool bags from Klein come in a wide variety of shapes and sizes to match the diverse tools and accessories professionals use every day.



100

T 0

0

0 0

S

0 う

0

4

6

S

S

a

5102-16

Sold by: TWA comme com http://www.TWAcomm.com Toll Free: (877) 892-2666

Canvas Tool Bags

- Heavy-duty No. 8 natural canvas.
- Rivet-reinforced for durability.
- Steel-frame mouth with hinge for rugged use.
- Stitched and riveted **leather** handles for comfort and strength.
- Two retaining straps with buckles provide secure closure.
- Moisture-resistant, vinyl bottom, and lower sides.
- Non-scratch studs on base protect against wear.
- Retro-fit bags with shoulder strap kit (Cat. No. 5102S); Kit includes leather strap with pad and snap hooks, rings and fasteners for attaching rings to bags.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5102-12	12" (305 mm)	6" (152 mm)	10" (254 mm)	2.14
5102-14	14" (356 mm)	6" (152 mm)	14" (356 mm)	2.55
5102-16	16" (406 mm)	6" (152 mm)	14" (356 mm)	3.05
5102-18	18" (457 mm)	6" (152 mm)	14" (356 mm)	2.84
5102-20	20" (508 mm)	6" (152 mm)	15" (381 mm)	3.16
5102-22	22" (559 mm)	6" (152 mm)	15" (381 mm)	3.48
5102-24	24" (610 mm)	6" (152 mm)	15" (381 mm)	4.10



Sold by

TWAcommecom

Camouflage Cordura® Tool Bags

- Constructed of 1000-denier Cordura[®] with Advantage Classic[®] camouflage pattern.
- Nylon-stitched and rivet reinforced for durability.
- Steel-frame mouth with hinge for rugged use.
- Two **leather** retaining straps with buckles for secure closure.
- Exceptional resistance to abrasion, punctures, and tearing.
- Reinforced vinyl bottom and lower sides for extra strength.
- Lockstrap and hasp accepts most standard padlocks.
- Stitched and riveted leather handles for comfort and strength.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5102-14C	14" (356 mm)	6" (152 mm)	14" (356 mm)	2.23
5102-18C	18" (457 mm)	6" (152 mm)	14" (356 mm)	2.55
5102-24C	24" (610 mm)	6" (152 mm)	15" (381 mm)	3.18

Advantage Classic O 1994 of Jordan Outdoor Enterprises, Ltd., all rights reserved. Cordura[®] is a registered trademark of INVISTA for durable fabrics.

High-Bottom Canvas Tool Bags

- Heavy-duty No. 8 natural canvas.
- Bottom and 8" (203 mm) of lower sides are covered with moisture-resistant vinyl.
- Non-scratch studs on base protect against wear.
- Steel-frame mouth with hinge for rugged use.
- Harness-leather handles with two retaining straps and buckles.
- Retro-fit bags with shoulder strap kit (Cat. No. 5102S). Kit includes leather strap with pad and snap hooks, rings and fasteners for attaching rings to bags.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5105-20	20" (508 mm)	6" (152 mm)	15" (381 mm)	3.55
5105-22	22" (559 mm)	6" (152 mm)	15" (381 mm)	3.80
5105-24	24" (610 mm)	6" (152 mm)	15" (381 mm)	4.00



5102-14C



ool Bags

EST INST

166

5003-16

Canvas Tool Bags – Multiple Pockets

- Steel-frame mouth with hinge for rugged use.
- Internal pockets in a variety of sizes.
- External pocket for additional carrying needs (leather bottom bags only).
- Constructed of strong No. 8 natural canvas.
- Reinforced bottom supports heavy tools, blocks moisture, and provides durability at wear points.
- Wide opening provides easy access to large tools.
- Bottom is protected from the elements by 6 studs.
- 5002 Series bags include: Bottom and 3" (76 mm) of sides covered with black vinyl and two black harness-**leather** handles and retaining straps.
- 5003 Series bags include: Shoulder strap mounts, (optional shoulder strap available, Cat. No. 58889) external pocket, **leather** bottom and 3" (76 mm) of sides covered with black **leather**, 2" (51 mm) wide web handles, **leather** handle wrap, and external tool loop handle in the webbing.



Length	Width	Depth	Interior Pockets	Exterior Pockets	Retaining Straps	Weight (lbs.)
16" (406 mm)	6" (152 mm)	14" (356 mm)	8	_	2	3.19
18" (457 mm)	6" (152 mm)	14" (356 mm)	10	_	2	3.88
20" (508 mm)	6" (152 mm)	15" (381 mm)	14	—	2	4.28
16" (406 mm)	6" (152 mm)	14" (356 mm)	8	1	1	3.34
18" (457 mm)	6" (152 mm)	14" (356 mm)	10	1	1	4.14
20" (508 mm)	6" (152 mm)	15" (381 mm)	14	1	2	4.38
	16" (406 mm) 18" (457 mm) 20" (508 mm) 16" (406 mm) 18" (457 mm)	16° (406 mm) 6° (152 mm) 18° (457 mm) 6° (152 mm) 20° (508 mm) 6° (152 mm) 16° (406 mm) 6° (152 mm) 18° (457 mm) 6° (152 mm)	16" (406 mm) 6" (152 mm) 14" (356 mm) 18" (457 mm) 6" (152 mm) 14" (356 mm) 20" (508 mm) 6" (152 mm) 15" (381 mm)	16" (406 mm) 6" (152 mm) 14" (356 mm) 8 18" (457 mm) 6" (152 mm) 14" (356 mm) 10 20" (508 mm) 6" (152 mm) 15" (381 mm) 14 I6" (406 mm) 6" (152 mm) 14" (356 mm) 8 I6" (406 mm) 6" (152 mm) 14" (356 mm) 8 I8" (406 mm) 6" (152 mm) 14" (356 mm) 10	16" (406 mm) 6" (152 mm) 14" (356 mm) 8 18" (457 mm) 6" (152 mm) 14" (356 mm) 10 20" (508 mm) 6" (152 mm) 15" (381 mm) 14 16" (406 mm) 6" (152 mm) 14" (356 mm) 8 1 16" (406 mm) 6" (152 mm) 14" (356 mm) 8 1 18" (457 mm) 6" (152 mm) 14" (356 mm) 10 1	16" (406 mm) 6" (152 mm) 14" (356 mm) 8 — 2 18" (457 mm) 6" (152 mm) 14" (356 mm) 10 — 2 20" (508 mm) 6" (152 mm) 15" (381 mm) 14 — 2 16" (406 mm) 6" (152 mm) 14" (356 mm) 8 1 1 16" (406 mm) 6" (152 mm) 14" (356 mm) 8 1 1 18" (457 mm) 6" (152 mm) 14" (356 mm) 10 1 1

Cordura® Ballistic Nylon Tool Bag

- Cordura[®] ballistic nylon, a high-performance fabric resistant to abrasions, tears and scuffs.
- Molded bottom made with a durable impact modified polypropylene.
- Eight interior and two exterior pockets hold a wide assortment of hand tools and supplies.
- Large opening with reinforced steel frame maintains the bag's shape while loading and unloading.
- Heavy-duty nylon zipper closure and a large leather zipper-pull assure easy operation.
- Box-stitched 2" (51 mm) wide polypropylene padded carrying handles with comfortable leather wrap.
- Optional padded, slip-resistant adjustable shoulder strap (Catalog No. 58889) for hands-free mobility is available.

	Cat. No.	Length	Width	Depth	Weight (lbs.)	
NEW!	5200-15	15" (381 mm)	8" (203 mm)	14-1/2 (368 mm)	3.59	
	Cordura [®] is a registered trademark of INVISTA for durable fabrics.					

Canvas Tool Bags

- Heavy-duty No. 6 natural canvas.
- Double-layer canvas bottom.
- Reinforced, riveted web handles.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5155	17" (432 mm)	9" (229 mm)	12" (305 mm)	1.56
5156	19" (483 mm)	9" (229 mm)	15" (381 mm)	1.82
	nmecom			
http://www.TV Toll Free: (87				



5200-15



Tool Bag





167

All dimensions are in inches and (millimeters).

Extra-Large Nylon Equipment Bag

- Orange vinyl-coated nylon fabric bag.
- Bottom extends 3" (76 mm) up the sides.
- Bottom of bag is protected by metal studs.
- Bottom reinforced with 1/4" (6 mm) plywood.
- Nylon-web handles extend around bag for extra support.
- Wide opening steel frame is securely riveted in top of bag.
- Extra flap for storm protection.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5180	24" (610 mm)	10" (254 mm)	18" (457 mm)	6.00



Tool Totes[™]

- Constructed of rugged, 600 x 300 denier polyester to resist wear and tear on the jobsite.
- 2" wide, 900 lb-test, polypropylene padded carrying handles with comfortable leather wrap.
- Water-resistant to avoid the build-up of mold and mildew.
- Exterior pockets hold a variety of tools and a mobile phone.
- Multiple interior pockets and a large interior compartment for a wide assortment of tools and supplies (only with 58888 and 58890).
- Durable molded bottom with drain holes to prevent water retention.
- Contoured, padded, slip-resistant shoulder strap for hands-free mobility (included with 58888 and 58890).
- Heavy-duty chain tape thong (58890 only).



	Cat.No	Interior Pockets	Exterior Pockets	Chain Tape Thong	Shoulder Strap (58889)	Length	Width	Depth	Weight (lbs.)
NEW!	58886	-	7	No	No*	15-1/2" (394 mm)	7-1/2" (191 mm)	10" (254 mm)	2.42
	58888	5	7	No	Yes	15-1/2" (394 mm)	7-1/2" (191 mm)	10" (254 mm)	3.01
NEW!	58890	7	10	Yes	Yes	15-1/2" (394 mm)	7-1/2" (191 mm)	10" (254 mm)	3.41

http://www.TWAcomm.com Toll Free: (877) 892-2666

*Optional shoulder strap (Cat. No. 58889) available.


Tool Organizer

- Constructed of double-layered, 600 x 300 denier polyester to resist wear and tear on the jobsite.
- Water-resistant to avoid the buildup of mold and mildew.
- Double layer of polyester at bucket edges for durability.
- Interior pockets include: three tool sleeves, one power tool/cord sleeve, and six universal pockets.
- Exterior pockets include: nine screwdriver/nut driver pockets, eleven pliers pockets, eleven utility pockets, two wire stripper pockets, and two Velcro[®] closeable pockets.
- Heavy-duty webbing keeps pockets open for easy access to supplies and tools.

Cat. No.	Interior	Exterior	Nominal	Weight
	Pockets	Pockets	Size	(Ibs.)
5777	10	35	fits standard 5-gallon buckets	3.90

. Sold by

Velcro[®] is a registered trademark of Velcro Industries B.V. Tools NOT included.



All dimensions are in inches and (millimeters).



168

Deluxe Leather Bags

- Rugged tool bag made of extra-heavy leather.
- Removable, padded shoulder strap.
- Three-ply bottom with steel studs.
- Retaining straps extend around bag for extra support.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5108-18	18" (457 mm)	7" (178 mm)	8" (203 mm)	4.77
5108-20	20" (508 mm)	7" (178 mm)	8" (203 mm)	5.17
5108-24	24" (610 mm)	7" (178 mm)	8" (203 mm)	5.50



Leather Tote Bag

- Rugged tool bag made of extra-heavy **leather**.
- Stitched and riveted construction.
- Reinforced ends.
- Double-ply bottom with steel studs.

Cat. No.	Length	Width	Depth	Weight (lbs.)
5115	15" (381 mm)	6-1/2" (165 mm)	7" (178 mm)	2.20



Zipper Bag – Canvas

- Constructed of No. 10 canvas with heavy-duty brass zipper.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools, and spare parts.

	Cat. No.	Length	Height	Weight (lbs.)
	5139	12-1/2" (318 mm)	7" (178 mm)	.19
NEW!	5336	17" (432mm)	12" (305mm)	.40





169

Zipper Bag – Cordura[®] Ballistic Nylon

- Constructed of Cordura[®] ballistic nylon, a high-performance fabric resistant to abrasions, tears, and scuffs.
- *Heavy-duty nylon zipper.*
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools, and spare parts.

	Cat. No. Length		Height	Weight (lbs.)	
NEW!	5139B	12-1/2" (318 mm)	7" (178 mm)	.24	
NEW!	5236	17" (432mm)	12" (305mm)	.51	

Cordura[®] is a registered trademark of INVISTA for durable fabrics.





Zipper Bag – Cordura[®] Camouflage

- Constructed of 1000-denier Cordura[®] with Advantage Classic[®] camouflage pattern, with leather Klein Logo.
- Heavy-duty plastic zipper.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools, and spare parts.

Cat. No.	Length	Height	Weight (lbs.)
5139C	12-1/2" (318 mm)	7" (178 mm)	.14

Advantage Classic © 1994 of Jordan Outdoor Enterprises, Ltd., all rights reserved. Cordura® is a registered trademark of INVISTA for durable fabrics.

Zipper Bag – Top-Grain Leather

- Brushed cowhide **leather** with heavy-duty brass zipper.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools, and spare parts.

Cat. No.	Length	Height	Weight (lbs.)
5139L	12-1/2" (318 mm)	7" (178 mm)	.23



5139L

Zipper Bags – Canvas, 4-Pack

- Includes four assorted colors (olive, orange, royal-blue, and yellow) to organize and categorize important tools.
- Constructed of No. 10 canvas with heavy-duty brass zipper.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools and spare parts.
- Overall size: 12-1/2" (318 mm) long x 7" (178 mm) high.

	Cat No.	Description	Weight (lbs.)
NEW!	5140	4 zipper bags - canvas	.80



Contractor's Zipper Portfolios

- Great for transporting contracts, quotations, work orders, plans, and schedules.
- Holds clipboards, binders, and mobile phones.
- Convenient storage for pliers, wrenches, screwdrivers, nut drivers, other tools and spare parts.
- *Heavy-duty zipper.*
- Overall size: 17" (432mm) long x 12" (305mm) high.

	Cat No. Material		Color	Zipper	Weight (lbs.)
	5136	Top Grain Leather	brown	brass	.84
NEW!	5236	Cordura [®] Ballistic Nylon	black	nylon	.51
NEW!	5336	Number 10 Canvas	natural	brass	.40

Cordura[®] is a registered trademark of INVISTA for durable fabrics.





+LE/4 EST 1857

Glove Bags – Canvas

- Made of durable canvas.
- Has an expansion gusset, 5-1/2" (140 mm) across the top and 2-3/4" (70 mm) at bottom.
- Brass grommets in bottom for ventilation.
- Supplied with two-way snap.
- Includes safety notice to remind workers of the importance of using gloves.

Cat. No.	Canvas	Length	Width	Top Depth	Bottom Depth	Weight (lbs.)
5121-15	No. 4	15" (381 mm)	8" (203 mm)	5-1/2" (140 mm)	2-3/4" (70 mm)	.74
5121-19	No. 4	19" (483 mm)	8" (203 mm)	5-1/2" (140 mm)	2-3/4" (70 mm)	.88
5124-15	No. 8	15" (381 mm)	8" (203 mm)	5-1/2" (140 mm)	2-3/4" (70 mm)	.64
5124-17	No. 8	17" (432 mm)	8" (203 mm)	5-1/2" (140 mm)	2-3/4" (70 mm)	.70
5124-19	No. 8	19" (483 mm)	8" (203 mm)	5-1/2" (140 mm)	2-3/4" (70 mm)	.77



5121-15

Combination Glove and Sleeve Bags

- Panels are tough No. 4 canvas.
- Provides separate storage for gloves and sleeves.
- Brass grommets in bottom for ventilation.
- Bags are 8" (203 mm) wide.
- Supplied with two-way snap.
- Includes safety notice to remind workers of the importance of using gloves.

Cat. No.	Length	Width	Bottom Depth	Weight (lbs.)
5122-16	16" (406 mm)	8" (203 mm)	4-13/16" (122 mm)	.98
5122-18	18" (457 mm)	8" (203 mm)	4-13/16" (122 mm)	1.05



5122-16

Ten-Compartment Drawstring Bag

- 12-oz. olive canvas.
- Ten compartments to hold small parts.
- Drawstring for easy closing.

Cat. No.	Diameter	Depth	Weight (lbs.)
5151	11" (279 mm)	6" (152 mm)	.41











Tool Bag Accessories

Shoulder Strap Kit

Cat. No.

5102S

- Adjustable leather shoulder strap for Cat. Nos. 5102 and 5105 series canvas tool bags.
- Complete kit contains leather strap with pad and snap hooks, rings and fasteners for attaching rings to bags.

rs, ing	- 6 6.	5102S
Weight (lbs.)		
.78		

-

Padded Adjustable Shoulder Strap

- Shoulder strap for Tool Tote[™] and 5003 series canvas tool bags.
- Adjustable from both ends for a perfect fit.



Cat. No.	Weight (lbs.)
58889	.36

58889





172

