

COMMAND COMMUNICATIONS®

AV SERIES 1

SMARTSWITCH

AUTOMATICALLY ROUTES HDMI" DEVICES TO YOUR HDTV!



In today's High-Definition world, HDMI is the undisputed leader in quality connectivity. As your collection of HDMI-capable components grows, you'll want to connect all of them to your HDMI-capable screen. However, many HDTVs and projectors only have one HDMI input.

Now you can quickly and easily add more HDMI inputs to your HDTV with Smartswitch. These easy-to-install boxes automatically route HDMI devices to your HDTV. They're the ideal solution for home entertainment systems with digital HD cable boxes, Blu-ray Disc players", gaming consoles, media PCs, digital camcorders and more.

Get the maximum quality from your HDMI components with Smartswitch from Command Communications.













(HDMI cables shown are sold separately)

COMMAND COMMUNICATIONS®

AV SERIES 1



FEATURES

- Standard HDMI Connectors
- Detects and switches signals in priority order as defined by the user
- . Automatically skips inputs which are not in use
- HDMI (V1.3 with deep color, 36bit)
- Supports HDMI digital audio: LPCM, Dolby AC3, DTS 7.1, DSD
- HDCP protocol compliant
- Signaling rates up to 10.2 Gbps, supporting UXGA and 1080p
- 8dB receiver equalization to compensate for 5m HDMI cable losses
- 3dB driver pre-emphasis to compensate for PCB losses
- Supports CEC (Consumer Electronics Control) Channel
- Infrared Remote Control (included)

SPECIFICATIONS

Operating Temperature Range Operating Humidity Range Data Transfer Speed Input Video Signal Input DDC Signal Maximum Working Current **Power Adapter** Supported Resolutions Supported Video Color Format Supported Audio Format **HDMI** Connectors HDCP Version

-5 to +35° C (-41 to +95° F) 5 to 90% (no condensation) 10.2 Gbps 0.5-1.0 volts p-p 5 volts p-p (TTL) 200mA Input: 100-240VAC (50-60 HZ), Output: 5 VDC @ 1.4 Amperes 1080p, 1080i, 720p, 576i, 576p, 480p, 480i Deep Color 36bit LPCM, Dolby AC3, DTS 7.1, DSD Standard, Type A HDCP 1.1.0/1.2

SOURCE DEVICE



DIGITAL DISPLAY

HDTV, LCD, DLP & Plasma **Digital Projector** PC Monitor

COMMAND COMMUNICATIONS AV SERIES 1

HDMI, the HDMI Logo and High-Definition Multimedia Licensing LLC. in the United States and/or other countries

are the property of their respective owners

Specifications subject to change without notice

Command Communications Limited One-Year Warranty We warrant this product to be free from defects in materials and workmanship for one year from purchase date.



Command Communications, Inc. 14510 E Fremont Ave Centennial CO 80112 Tel: 888-843-4399 Fax: 303-792-0855 Email: ccisales@commandcommunications.com



COMMUNICATIONS® www.commandcommunications.com


COMMAND COMMUNICATIONS®

AV SERIES 1

HIGH-SPEED HDMI[®]CABLE

Digital Video & Digital Audio In One Cable

FOR CONNECTING DIGITAL VIDEO & DIGITAL AUDIO COMPONENTS



HIGH-DEFINITION MULTIMEDIA INTERFACE (HDMI $^{\text{\tiny M}}$)

HDMI delivers high-definition video and multichannel, digital audio through a single cable. It's the ideal solution for connecting your HDTV to other home entertainment components like your digital HD cable box, Blu-ray Disc[™], AV receiver and gaming console.

UNRIVALED CLARITY

Command Communications AV Series 1 high-speed HDMI certified cables combine cutting-edge technology with high-quality materials to deliver the purest signal. Optimize the performance of your HDTV and home entertainment system with **Command Communications AV Series 1** high-speed HDMI cables.









SOURCE DEVICE

Blu-ray Disc™ HD DVD™ AV Receiver Satellite/Cable Box Media PC Gaming Console Camcorder Digital Camera

DIGITAL DISPLAY

HDTV, LCD, DLP & Plasma Digital Projector

PC Monitor

LIMITED LIFETIME WARRANTY (SEE BACK FOR DETAILS)

- H D M I C E R T I F I E D -

COMMAND COMMUNICATIONS®

AV SERIES 1





CABLE FACTS

There are only two types of HDMI cables in the HDMI specification:

Standard Speed

Supports up to 720p/1080i

(not rated to support 1080p)

High Speed

Supports all resolutions including 1080p and beyond



FEATURES

- Lengths: 1m, 2m, 4m (3.25 ft., 6.5 ft., 13 ft.)
- · Quality: HDMI Official Licensed HDMI Cables, passed official HDMI testing

..... Integrated strain relief

· HDMI supports standard, enhanced, or high-definition video, plus multi-channel digial

connectors and contacts

- · Transmits all HD standards and supports all digital audio formats
- · Extra bandwidth to accommodate future enhancements
- · High frequency response for wide bandwidth and efficient signal transfer
- · Aluminum-foil wrapped around each twisted pair
- · Fully backward, compatible with DVI
- Connectors: HDMI 19 Pin Male to HDMI 19 Pin Male, Gold Plated

SPECIFICATIONS

Operating Temperature Range Operating Humidity Range Data Transfer Speed HDMI Category Connectors Insulation Resistance Hi-Potential HDMI Authorized Test Center Verified Continuity Wire Gauge -20 to +50° C (-4 to +122° F) 5 to 90% (no condensation) Up to 10.2 Gbps High Speed, Category 2 Male, HDMI Type A (Standard Size) 10 Mohms (minimum) DC300V, 10ms Yes 100% Open and Short Tested 30AWG (1m and 2m) 28AWG (4m)





COMMUNICATIONS® www.commandcommunications.com

Command Communications, Inc. 14510 E. Fremont Ave. Centennial, CO 80112 Tel: 888-843-4399 Fax: 303-792-0855 Email: ccisales@commandcommunications.com

©2008 Command Communications, Inc. All rights reserved. COMMAND COMMUNICATIONS AV SERIES 1, COMMAND COMMUNICATIONS and the Arrow logo are trademarks or registered trademarks of Command Communications, Inc., Centennial, CO 80112

HDMI, the HDMI Logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. in the United States and/or other countries.

All other trade names, trademarks or registered trademarks are the property of their respective owners.

Specifications subject to change without notice