
96-Pair 110 Patch Panel CAT 6

SPE PRODUCT

Package includes:

- A. 110 Blank Patch Panel, 1 pc
- B. 4-Pair 110 Connecting Block, 24 pcs
- C. Label Holders, 2 pcs
- D. #12-24 x 5/8" Pan Head, Pilot Point



Features and Benefits:


- Rack mounted reinforced steel panel with two 50-pair 110 blocks.
- Designed to support CAT 6 commercial or residential applications.
- Backwards compatible with CAT 5e wiring solutions.
- Ideal for data and voice applications.
- Designed with rear cable entry for flexibility.
- Compatible with all standard 19" racks and cabinets.
- 1 rack mount space (RMS).
- UL Listed.





	PAICH P	ANEL, 110, 96-1	PAIR, CAI 6, 1 RIVIS
	ITEM NO.	IC110PRK61	REV. A
ſ	DWG NO.	PS110PRK61	PAGE NO. 1



CUSTOMER CARE / TECHNICAL SUPPORT * CSR@ICC.COM / 888-ASK-4-ICC (275-4422) * 14700 Alondra Blvd., La Mirada, CA 90638 * www.icc.com







NOTE: UNLESS OTHERWISE SPECIFIED

1. 110 BLANK PATCH PANEL:

A. MATERIAL: 16 GA CRS


B. SURFACE FINISHING: BLACK POWDER COAT


2. 50-PAIR 110 BLOCK:

A. MATERIAL: PC, UL 94V-0

B. COLOR: IVORY

CATE	GORY	6 C	ONNE	CTING	HAR	DWAR	E RE	QUIRE	MENT	S					
FREQUENCY (MHz)	1.0	4.0	8.0	10.0	16.0	20.0	25.0	31.25	62.5	100	200	250			
NEXT LOSS (db)	75.0	75.0	75.0	74.0	69.9	68.0	66.0	64.1	58.1	54.0	48.0	46.0			
FEXT LOSS (db)	75.0	71.1	65.0	63.1	59.0	57.1	55.1	53.2	47.2	43.1	37.1	35.1			
RETURN LOSS (db)	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	28.1	24.0	18.0	16.0			
INSERTION LOSS(db)	0.10	0.10	0.10	0.10	0.10	0.10	0.10	0.11	0.16	0.20	0.28	0.32			





110 CONNECTING BLOCK

1. 4-PAIR CONNECTING BLOCK:

A. HOUSING: PC, UL94V-0

B. IDC PHOSPHOR BRONZE ALLOY PLATED WITH 100 MICRON TIN PLATED

C. MECHANICAL:

-NUMBER OF TERMINATIONS ≥ 200

-GAUGE: 22~24 AWG

-WIRE: SOLID



PATCH P	ANEL, 110, 96-PA	AIR, CAT 6, 1 RMS
ITEM NO.	IC110PRK61	REV. A
DWG NO.	PS110PRK61	PAGE NO. 2



CUSTOMER CARE / TECHNICAL SUPPORT * CSR@ICC.COM / 888-ASK-4-ICC (275-4422) * 14700 Alondra Blvd., La Mirada, CA 90638 * www.icc.com