

PRODUCT SPECIFICATIONS / INFO

LEVITON



6375CR

UPC Code: 07847733300

Country of Origin: Mexico - **Eligible for ARRA funded projects > \$7,443,000*



**Disclaimer*

Description


50 Amp, 125/250 Volt, Non-NEMA, 3P, 4W, Corrosion Resistant, Black & White Locking Flanged Inlet, Industrial Grade, Grounding - GRAY METAL

Configuration:

Product Features

NEMA: Non-NEMA

Color: Gray Metal



Sold by:




<http://www.TWAcomm.com>
Toll Free: (877) 389-0000

Electrical Specifications	
Grounding	Grounding
Amperage	50 Amp
Voltage	125/250 Volt
Pole	3
Wire	4
Dielectric Voltage	Withstands 2000V per UL498
Maximum Working Voltage	125/250V as rated
Temperature Rise	Max 30°C temp rise at full-rated current after 150 cycles of OL at 150% rated DC current
Current Interrupting	Certified for current interrupting at full rated current

Material Specifications	
Face Module	Nylon
Body & Contract Carrier	Reinforced Nylon
Flanged Casing	Zinc Plated Brass
Inlet Blade	0.100inch thick Nickel Plated Brass
Terminal Block	0.062inch thick Nickel Plated Copper
Terminal Set Screw	SS 302/304
Ground Shunt	Nickel Plated Bronze
Grounding Shunt Rivet	Nickel Plated Brass
Color	Gray Metal

Standards and Certifications	
UL498	File E13399
CSA C22.2 No. 42	File 152105
NOM	057
RoHS	Compliant
Warranty	Lifetime Limited

Environmental Specifications	
Flammability	Rated V-2 per UL94
Operating Temperature	-40deg.C to 75deg.C (-40deg.F to 167deg.F)
Mechanical Specifications	
Terminal ID	X, W, Y, Z and Green for ground
Terminal Accom.	#10 min to #4max AWG Solid or Stranded Wire
Product ID	Ratings and Catalogue No. molded into face



6375CR
CONFIGURATION 6

SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 ·

www.leviton.com.mx

**Visit our Website at: www.leviton.com**

© 2007-2011 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

www.leviton.com/international/contacts/

**Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.*

