

111 111

Yealink

Enterprise HD IP Phone

www.yealink.com

About Yealink

Yealink is professional designer and manufacturer of IP video phones and IP phones for the world-wide broadband telephony market since 2001. Yealink has 10 years VoIP experience and has been 100% focusing on VoIP products. Yealink products are fully compatible with the SIP industry standard, and have broad interoperability with the major IP-PBX, softswitch and IMS on the market today. High-quality, easy to use and affordable are what Yealink strives all the time to meet.

Official certification:



Enterprise HD IP Phone







SIP-T20P

- > TI TITAN chipset and TI voice engine
- > 3-line LCD(2 x 15 characters and an icon line)
- > 2 VoIP accounts, Broadsoft/Asterisk/Avaya validated
- > HD Voice: HD Codec, HD Handset, HD Speaker
- > 31 keys including 9 function keys
- > BLA/BLF, BLF list, Voicemail, Net conference, Intercom/Paging
- > Call completion, Call recording
- > Localized language, Phonebook
- > FTP/TFTP/HTTP, PnP Auto-provision
- > SRTP/HTTPS/TLS, VLAN/QoS, VPN, 802.1x, IPV6, LLDP
- PoE, Headset, 2xRJ45, Wall-mounted



Enterprise HD IP Phone

Enterprise HD IP Phone						
Phone Feature	SIP-T38G	SIP-T28P	SIP-T26P	SIP-T22P	SIP-T20P	SIP-T18P
Chipset	TI Aries	TI TITAN	TI TITAN	TI TITAN	ΤΙ ΤΙΤΑΝ	TI TITAN
LCD	4.3" TFT-LCD 480 x 272 pixel 16.7M colors	320x160 graphic	132x64 graphic	132x64 graphic	2x15 characters	—
Programmable Keys	16	16	13	3	2	2
User Accounts	6	6	3	3	2	1
HD Voice	HD Codec HDHandset HDSpeaker	HD Codec HDHandset HDSpeaker	HD Codec HDHandset HDSpeaker	HD Codec HDHandset HDSpeaker	HD Codec HDHandset HDSpeaker	HD Codec — —
Wideband Codec	G.722	G.722	G.722	G.722	G.722	G.722
Narrowband Codec	G.711 G.723.1 G.726 G.729AB	G.711 G.723.1 G.726 G.729AB	G.711 G.723.1 G.726 G.729AB	G.711 G.723.1 G.726 G.729AB	G.711 G.723.1 G.726 G.729AB	G.711 G.723.1 G.726 G.729AB
Speakerphone	Full-duplex	Full-duplex	Full-duplex	Full-duplex	Full-duplex	—
3-way conferencing	~	~	~	\checkmark	\checkmark	\checkmark
BLF/BLA	~	\checkmark	\checkmark	\checkmark	\checkmark	-
Intercom/Paging	~	\checkmark	\checkmark	\checkmark	\checkmark	-
Call Completion	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-
Call Recording	~	\checkmark	\checkmark	~	~	-
XML Browser	_	\checkmark	\checkmark	\checkmark	—	_
XML Phonebook	\checkmark	\checkmark	\checkmark	\checkmark	_	_
Hot-desking	—	\checkmark	\checkmark	\checkmark	-	—
OpenVPN	~	\checkmark	~	-	-	-
SRTP/TLS/ HTTPS	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	—
802.1x	~	\checkmark	\checkmark	\checkmark	\checkmark	-
Auto Provision	TFTP FTP HTTP HTTPS PnP	TFTP FTP HTTP HTTPS PnP	TFTP FTP HTTP HTTPS PnP	TFTP FTP HTTP HTTPS PnP	tftp ftp http https pnp	TFTP FTP HTTP PnP
Expansion Module	~	\checkmark	\checkmark	_	_	_
PoE/ Headset	~	\checkmark	\checkmark	\checkmark	\checkmark	PoE

How to configure Yealink phones with IP-PBX

Http://www.yealink.com/en/solution/IP phone.asp

Offered By:

Sold by: TWAcommecom http://www.TWAcomm.com Toll Free: (877) 389-0000

YEALINK (XIAMEN) NETWORK TECHNOLOGY CO.,LTD. E-Mail: sales@yealink.com Website: www.yealink.com