

Ortronics OR-PHA5E6U24

# Clarity 5E angled 24-port panel, Cat 5e, six-port modules, 19" x 1.75" - OR-PHA5E6U24

Clarity 5E angled 24-port high density patch panel is component compliant to TIA/EIA Category 5e performance requirements. It occupies 1 rack unit and measures 19" x 1.75". Jacks are grouped in six-port modules. It is part of the Clarity 5E link and channel solution that provides significant installed performance headroom.





#### **FEATURES**

- Recessed design with lower mounted profile: Directs cords more easily to vertical management.
- ETL verified to TIA Category 5e component spec: Elevated component performance.
- Center tuned to Clarity 5E patch cords: More transparent mated union.
- Universal wiring: Supports T568A and T568B installs.
- Easy lace 110 termination: Saves installation time.
- Supplied rear cable management: Supports good cabling practice.
- High density design: Maximizes rack utilization.
- RoHS compliant: Lead free.

## **Specifications**





Ortronics OR-PHA5E6U24

Height Metric: 44.45 mm Width Metric: 482.6 mm

Cable Diameter Range: 22-26 AWG

Depth Metric: 46.23 mm

Height U S: 1.75"

#### **GENERAL INFO**

Mod Jack Wiring: Universal T568A/B

Number Of Ports: 24

#### **TECHNICAL INFO**

Performance Rating: Category 5e Category Rating: Category 5e

#### **CONSTRUCTION INFO**

Component1: Panel - Material1: .090" Aluminum, Finish\_Plating1: Painted black texture with green silkscreen

Component4: Array of eight modular dual reactance contacts - Material4: Beryllium copper, Finish\_Plating4: Nickel plating and a minimum of 50 micro inches of selective gold plating in contact area

Component5: IDC contacts (low noise) - Material5: Phosphor Bronze, Finish\_Plating5: Nickel plating with tin over

plate

### **BUY AMERICAN ACT COMPLIANCE**

Country of Origin: MEXICO

Buy American Act Status: Trade Agreement Act Compliant

