






Hubbell Metal Raceway HBL6750 Series Product Applications







Catalog Number		Description
1 HBL6750CIV HBL6750B10IV		5 ft. Cover 10 ft. Base
2 HBL6711DFOIV		1 1/4" Radius Full Capacity Flat Elbow
3 HBL6756IV		Cover Clip
4 HBL67473BBBBBBIV		Overlapping Plate, Six-Gang, Six Duplex Receptacles

Catalog Number		Description
5 HBL6717DFOIV		1 1/4" Radius Full Capacity Internal Elbow
6 HBL6747BBBIV		Overlapping Plate, Three- Gang, Three Duplex Receptacles
7 HBL6718DFOIV		1 1/4" Radius Full Capacity External Elbow
8 HBL67473RRRRXXIV		Overlapping Plate, Six- Gang, Four Style Line® Receptacles, Two Blanks



Catalog Number		Description
9 HBL4750CIV HBL4750B10IV		5 ft. Cover 10 ft. Base
10 HBL6774AIV		Take-Off Connector (HBL6750 - HBL4750)
11 HBL6750IV		Three-Gang Device Mounting Bracket
12 HBL67473BBBBXXIV		Overlapping Plate, Six-Gang, Four Duplex Receptacles, Two Blanks

Catalog Number		Description
13 HBL6714AIV		Connector Fitting
14 HBL67473BBBBFFIV		Overlapping Plate, Six-Gang, Four Duplex Receptacles, Two Modular Furnitures
15 HBL6750C315IV		31.5 in. Precut Cover
16 HBL6710BIV		Blank End Fitting

HBL6750 Series Metal Raceway



Bracket and Devices

- HBL6750 Device Bracket Plate provides excellent solution for three channel power, data, voice, audio and video applications.
- For use with Hubbell KP plates and Hubbell iSTATION™ modules and bezels.
- Provides flush finish with overlap feature to hide potential miscuts.

Advantage HUBBELL




Maximum Capacity

- HBL6750 Series options include single channel (no divider), two channel (1/3, 2/3 divider) or three channel (1/3, 1/3, 1/3 divider).
- HBL6750 Series offers maximum capacity in a low profile raceway.
- HBL6750, two channel version, features industry leading capacity equivalent to a HBL4750 single channel profile with an additional channel.
- Low profile raceway provides a less conspicuous profile than competitive versions.
- Available in 10 ft. lengths.

Advantage HUBBELL

Unique Line of Fittings


- 1¼" bend radius fittings meet TIA/EIA requirements.
- Integral bend radius offers a fixed solution that does not have to be field installed.
- Large cross sectional area provides for maximum cable capacity throughout entire system.
- Available external, internal, flat, tee and entrance end fittings.
- UL Listed, CSA Certified.
- Available in ivory or gray powder coat finish.



Advantage HUBBELL

Plates and Covers











- Wide variety of overlapping cover plates provide flexibility for power, data, voice, audio and video applications.
- Available in both three and six-gang options.
- Cover plates accept wide selection of Hubbell iSTATION™ modules and bezels.
- Cover plates help to conceal unsightly gaps caused by miscuts.
- Precut cover options allow for 12" (305mm), 18" (343mm), 24" (495mm) and 36" (800mm) "on-center" mounting.
- Open System architecture available.



Advantage HUBBELL


HBL6750 Series Metal Raceway

Available in
PRE-WIRED

Raceway		Catalog Number	Length	Color
Single Channel Base Packed 20 ft. (6.1m) per carton, 10 ft. (3m) lengths.		HBL6750B10IV HBL6750B10GY A: 120.00" (3048.00) B: 6.75" (171.45) C: 2.12" (53.85)	10 ft.	Ivory Gray
Cover Packed 20 ft. (6.1m) per carton, 5 ft. (1.5m) lengths.		HBL6750CIV HBL6750CGY A: 60.00" (1524.00) B: 6.75" (171.45)	5 ft.	Ivory Gray
7.5 in. Precut Cover For mounting devices on 12 in. (305.00) centers. Packed 10 pieces per carton.		HBL6750C075IV HBL6750C075GY A: 7.50" (190.50) B: 6.75" (171.45)	7.5 in.	Ivory Gray
13.5 in. Precut Cover For mounting devices on 18 in. (457.00) centers. Packed 10 pieces per carton.		HBL6750C135IV HBL6750C135GY A: 13.50" (342.90) B: 6.75" (171.45)	13.5 in.	Ivory Gray
19.5 in. Precut Cover For mounting devices on 24 in. (610.00) centers. Packed 10 pieces per carton.		HBL6750C195IV HBL6750C195GY A: 19.50" (495.30) B: 6.75" (171.45)	19.5 in.	Ivory Gray
31.5 in. Precut Cover For mounting devices on 36 in. (915.00) centers. Packed 10 pieces per carton.		HBL6750C315IV HBL6750C315GY A: 31.50" (800.10) B: 6.75" (171.45)	31.5 in.	Ivory Gray
Wire Clip (Plated) For holding conductors in place.		HBL6750WCGY A: 6.61" (167.80) B: 2.09" (53.05)		Galvanized Steel
Divider Divides HBL6750 Raceway into two or three channels. Packed 50 ft. (15.24m) per carton, 5 ft. (1.5m) lengths. HBL6751DAGY Divider Clips are required to hold divider in place.		HBL6750DAGY A: 60.00" (1524.00) B: 2.03" (51.56)	5 ft.	Painted Steel
Divider Clip (Plated) Required for holding HBL6750DAGY in place. Use one every 2.5 ft. (.762m).		HBL6751DAGY A: 6.60" (167.67) B: 1.97" (50.10)		Galvanized Steel
Coupling (Plated) For joining lengths of HBL6750 Raceway. Sold in pairs.		HBL6751A A: 2.00" (50.71) B: .42" (10.59)		Galvanized Steel

Fittings

Internal or External 45° Elbow
For making internal or external turns in a run of HBL6750 Raceway.



Catalog Number


Color

HBL6712TXIV
HBL6712TXGY
A: 6.53" (165.93)
B: 6.56" (166.62)

Ivory
Gray

Internal Elbow (Divided)

For inside surface at right angles.
Full capacity 1¼ in. bend radius internal elbow.




HBL6717DFOIV
HBL6717DFOGY
A: 4.74" (120.47)
B: 6.75" (171.45)

Ivory
Gray

Internal Elbow (Undivided)

For inside surface at right angles.




HBL6717IV
HBL6717GY
A: 4.74" (120.47)
B: 6.75" (171.45)

Ivory
Gray

Inverted Internal Elbow

For connecting a vertical run of HBL6750 Raceway with a horizontal run.




HBL6717NIV
HBL6717NGY
A: 6.56" (166.62)
B: 5.13" (130.30)

Ivory
Gray

Internal Corner Coupling (Plated)

Making an internal corner while continuing original run in a straight line.




HBL6717TCAGY
A: 6.56" (166.62)
B: 1.94" (49.28)

Gray

External Elbow (Divided)

For right angle turns around external corners. Full capacity 1¼ in. bend radius external elbow.




HBL6718DFOIV
HBL6718DFOGY
A: 5.83" (148.21)
B: 6.75" (171.45)

Ivory
Gray

External Elbow (Undivided)

For right angle turns around external corners.



HBL6718IV
HBL6718GY
A: 5.83" (148.21)
B: 6.75" (171.45)


Ivory
Gray

HBL6750 Series Metal Raceway

Fittings


Flat Elbow (Divided)

For right angle turns on same surface. Full capacity 1¼ in. bend radius flat elbow.



Entrance End Fitting (Undivided)

For connecting HBL6750 Raceway with rigid or flexible conduit. Concentric ¾ in., 1 in. and 1¼ in. trade size KOs on back and end.



Catalog Number


Color

HBL6711DFOIV
HBL6711DFOGY
A: 9.23" (234.45)
B: 6.75" (171.45)
C: 2.14" (54.23)
D: 9.23" (234.45)
E: 6.75" (171.45)

Ivory
Gray

Flat Elbow (Undivided)

For right angle turns on same surface.



Take-off Connector (HBL6750-HBL4750)

For 90° tee connection of HBL4750 Raceway from HBL6750 Raceway.




HBL6711IV
HBL6711GY
A: 9.23" (234.45)
B: 6.75" (171.45)
C: 2.14" (54.23)
D: 9.23" (234.45)
E: 6.75" (171.45)

Ivory
Gray

Tee Fitting (Divided)

For branches at right angles. Full capacity 1¼ in. bend radius tee fitting.



Connection Cover (Standard)

For covering potential openings where two covers come together.




HBL6715DFOIV
HBL6715DFOGY
A: 8.75" (222.25)
B: 8.68" (219.40)
C: 9.90" (251.46)
D: 7.92" (201.07)
E: 6.75" (171.45)

Ivory
Gray

Tee Fitting (Undivided)

For branches at right angles.



Connection Cover (Heavy Duty)

For covering potential openings where two covers come together.




HBL6715IV
HBL6715GY
A: 8.75" (222.25)
B: 8.68" (219.40)
C: 9.90" (251.46)
D: 7.92" (201.07)
E: 6.75" (171.45)

Ivory
Gray

Wall Box Connector

For back feeding HBL6750 Raceway.



Panel Connector

To connect HBL6750 Raceway with surface type panel boxes.




HBL6714AIV
HBL6714AGY
A: 6.75" (171.45)
B: 2.14" (54.28)
C: 9.90" (251.46)

Ivory
Gray

Blank End Fitting

For closing open end of HBL6750 Raceway. Has three ½ in. trade size KOs.



Transition Fitting

For transitioning from Wiremold® 6000 Raceway to Hubbell HBL6750 Raceway.




HBL6710BIV
HBL6710BGY
A: 6.56" (166.62)
B: 1.98" (50.41)
C: 1.98" (50.41)

Ivory
Gray

Entrance End Fitting (Divided)

For connecting HBL6750 Raceway with rigid or flexible conduit. Concentric ¾ in., 1 in. and 1¼ in. trade size KOs on back and end. Full capacity 1¼ in. bend radius entrance end fitting. Includes ¾ in., 1 in. and 1¼ in. KO and removable dividers.



Three-Gang Tap-Off Fitting

Has six concentric ½ in. and ¾ in. trade size KOs.




HBL6710DFOIV
HBL6710DFOGY
A: 6.75" (171.45)
B: 6.75" (171.45)
C: 3.18" (80.71)

Ivory
Gray

Catalog Number Color


HBL6710IV
HBL6710GY
 A: 6.75" (171.45)
 B: 6.75" (171.45)
 C: 3.18" (80.71)

Ivory
 Gray




HBL6774AIV
HBL6774AGY
 A: 14.36" (364.76)
 B: 6.75" (171.45)
 C: 11.47" (291.29)
 D: 6.72" (170.69)

Ivory
 Gray




HBL6756AIV
HBL6756AGY
 A: 6.75" (171.45)
 B: .59" (14.89)

Ivory
 Gray




HBL6756IV
HBL6756GY
 A: 6.75" (171.45)
 B: .59" (14.89)

Ivory
 Gray




HBL6786IV
HBL6786GY
 A: 7.51" (190.86)
 B: 2.00" (50.83)
 C: 7.89" (200.37)
 D: 2.38" (60.34)

Ivory
 Gray




HBL6750TFIV
HBL6750TFGY
 A: 4.35" (110.42)
 B: 6.96" (176.87)

Ivory
 Gray



HBL6746HHHIV
HBL6746HHHGY
 A: 4.35" (110.42)
 B: 6.96" (176.87)

Ivory
 Gray





Wiremold® is a registered trademark of The Wiremold Company.

HBL6750 Series Metal Raceway



Catalog Number	Color
HBL6750IV HBL6750GY A: 5.25" (133.35) B: 6.75" (171.45)	Ivory Gray
HBL6747C1IV HBL6747C1GY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747C2IV HBL6747C2GY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
Catalog Number	Color
HBL6747AXXIV HBL6747AXXGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747BXXIV HBL6747BXXGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747BBBIV HBL6747BBBGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747BBFIV HBL6747BBFGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747JXXIV HBL6747JXXGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747RXXIV HBL6747RXXGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747RRFIV HBL6747RRFGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray

Overlapping Cover Plates



Six-Gang, Six Duplex Receptacle Openings
For 15A and 20A duplex receptacles and duplex communication plates.





Six-Gang, Four Duplex Receptacles, Two Modular Furniture
For 15A and 20A duplex receptacles and duplex communication plates. Includes two modular furniture with two keystone twistouts.





Six-Gang, Four Duplex Receptacles, Two Blanks
For four 15A and 20A duplex receptacles and duplex communication plates.





Six-Gang, Four Style Line® Receptacles, Two Blanks
For four Style Line rectangular receptacles, GFCI and surge devices and rectangular communication devices.





Three-Gang, Two Duplex Receptacles, One Ortronics® Series II® Mini Adapter Bezel
For two 15A and 20A duplex receptacles and duplex communication plates. Includes Series II® Mini Adapter Bezel.







Three-Gang, Two Duplex Receptacles, One Ortronics® TracJack® Mini Adapter Bezel
For 15A and 20A duplex receptacles and duplex communication plates. Includes TracJack® Mini Adapter Bezel.










Six-Gang, Four Duplex Receptacles, Two Ortronics® Series II® Mini Adapter Bezels
For 15A and 20A duplex receptacles and duplex communication plates. Includes two Series II® Mini Adapter Bezels.







Six-Gang, Four Duplex Receptacles, Two Ortronics® TracJack® Mini Adapter Bezels
For 15A and 20A duplex receptacles and duplex communication plates. Includes two TracJack® Mini Adapter Bezels.



Catalog Number	Color
HBL67473BBBBBBIV HBL67473BBBBBBGY A: 10.22" (259.56) B: 6.75" (171.45)	Ivory Gray
HBL67473BBBBBFFIV HBL67473BBBBBFFGY A: 10.22" (259.56) B: 6.75" (171.45)	Ivory Gray
HBL67473BBBBBXXIV HBL67473BBBBBXXGY A: 10.22" (259.56) B: 6.75" (171.45)	Ivory Gray
HBL67473RRRRRXXIV HBL67473RRRRRXXGY A: 10.22" (259.56) B: 6.75" (171.45)	Ivory Gray
HBL6747BBSIV HBL6747BBSGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL6747BBTIV HBL6747BBTGY A: 5.43" (137.97) B: 6.75" (171.45)	Ivory Gray
HBL67473BBBBBSSIV HBL67473BBBBBSSGY A: 10.22" (259.56) B: 6.75" (171.45)	Ivory Gray



Cutters	Catalog Number	Catalog Number
Base Cutter Cutter for cutting base of HBL6750 Raceway.	HBL660B A: 38.93" (988.83) B: 30.00" (762.00) HBL660BDK (Replacement Blade)	Cover Cutter Cutter for cutting cover of HBL6750 Raceway.
HBL67473BBBBTTIV HBL67473BBBBTTGY A: 10.22" (259.56) B: 6.75" (171.45)		HBL660C A: 36.89" (936.94) B: 30.00" (762.00) HBL660CDK (Replacement Blade)



Ortronics®, Series II® and TracJack® are registered trademarks of The Ortronics Company.