



METAL

FULL SIZE CABINETS

Hubbell's full range of high quality server and network cabinets offer superior construction and durability for managing and protecting active equipment. These cabinets provide the flexibility in the design and also pair with our Horizontal and Vertical Cable Management products for full user customization.





FULL SIZE CABINETS

| PRODUCT | PAGE |
|---------------------------------------|-------------|
| FULL SIZE CABINETS | N3 |
| NETWORK CABINETS. | N5 |
| NETWORK CABINET ACCESSORIES | N6 |



Flexible
These Network Cabinets offer a high degree of flexibility and ease when managing cables.



Identification
RMU identification markings.



Efficiency
Perforated front and rear doors to optimize air flow.



Flexibility
Vertical rails have cutouts that allow for mounting power strips and other accessories.

HUBBELL
Advantage

- New and Efficient Design for Today's Requirements
- Standard EIA-310-D Mounting Hole Pattern
- High Structural Integrity for Active Equipment
- Enhanced Air Flow Design, Minimizes Power Consumption

Specifications

- Cold rolled steel
- 12ga vertical rails
- 14ga sides and doors
- Black powder coated
- Integrated lock, single front and rear doors
- Leveling feet
- 50 cage nuts per server cabinet
- 2,000lb static load capacity
- Locks are standard on doors and sides
- #12-24 threaded hole configuration

Standards/Listings/Verifications

- UL 1863
- EIA-310-D Hole Spacing



Access

The Network Cabinets allow for maximizing the quantity of cables within the cabinet while still allowing access to gear.



Adjustable

The vertical mounting rails are adjustable in 0.5" increments.



Configurable

The bottom is open for unrestricted cable entry.



Adaptable

The top allows for cable entry, cooling options and direct ladder rack mounting.

**Network Cabinet**

| Type | Rack Units | Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Color | Catalog No. |
|--------------------|------------|--------------------|-------------------|-------------------|-------|------------------|
| Standard w/sides | 43 | 80" (2032) | 30" (762) | 32" (813) | Black | H2N8032 |
| Standard w/sides | 43 | 80" (2032) | 30" (762) | 36" (914) | Black | H2N8036 |
| Standard w/sides | 45 | 84" (2134) | 30" (762) | 32" (813) | Black | H2N8432 |
| Standard w/sides | 45 | 84" (2134) | 30" (762) | 36" (914) | Black | H2N8436 |
| Seismic Z4 w/sides | 43 | 80" (2032) | 30" (762) | 32" (813) | Black | H2N8032Z4 |
| Seismic Z4 w/sides | 43 | 80" (2032) | 30" (762) | 36" (914) | Black | H2N8036Z4 |
| Seismic Z4 w/sides | 45 | 84" (2134) | 30" (762) | 32" (813) | Black | H2N8432Z4 |
| Seismic Z4 w/sides | 45 | 84" (2134) | 30" (762) | 36" (914) | Black | H2N8436Z4 |
| Standard w/o sides | 43 | 80" (2032) | 30" (762) | 32" (813) | Black | H2N8032E |
| Standard w/o sides | 43 | 80" (2032) | 30" (762) | 36" (914) | Black | H2N8036E |
| Standard w/o sides | 45 | 84" (2134) | 30" (762) | 32" (813) | Black | H2N8432E |
| Standard w/o sides | 45 | 84" (2134) | 30" (762) | 36" (914) | Black | H2N8436E |

**Server Cabinet**

| Type | Rack Units | Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Color | Catalog No. |
|--------------------|------------|--------------------|-------------------|-------------------|-------|------------------|
| Standard w/sides | 43 | 80" (2032) | 24" (610) | 42" (1067) | Black | H2S8042 |
| Seismic Z4 w/sides | 43 | 80" (2032) | 24" (610) | 42" (1067) | Black | H2S8042Z4 |
| Standard w/o sides | 43 | 80" (2032) | 24" (610) | 42" (1067) | Black | H2S8042E |

**Joining Kits**

Contents: 6 each of the following: 1/4"-20 x 3/4" hex bolts, 1/4" lock washers, 1/4" flat washers, 1/4"-20 hex nuts

Catalog. No. **HPWJKIT**

**19" Filler Panels**

Contents: 1 panel and 4 HPW screws

| Height | 1.75"H (1U) | 3.50"H (2U) | 7.00" H (4U) |
|--------------------|-----------------|-----------------|-----------------|
| Flat Catalog No. | MCCBP175 | MCCBP350 | MCCBP700 |
| Angled Catalog No. | ABP175 | ABP350 | - |



MCCBP175



MCCBP350



MCCBP700



Equipment Shelves, Cantilevered

Content: Stationary 16ga shelf, #12-24 mounting hardware

| Type | Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Load Capacity | Catalog. No. |
|------------|-----------------------|----------------------|----------------------|---------------|-------------------|
| Solid | 3.5" (89) | 17" (432) | 14" (356) | 50lb | MCCCS19 |
| Perforated | 3.5" (89) | 17" (432) | 14" (356) | 50lb | MCCCS19P |
| Solid | 7.0" (178) | 19" (483) | 20" (508) | 200lb | MCCCWS19HD |



MCCCS19



MCCCWS19HD



MCCCWS19

Equipment Shelves, Center-Weighted

Content: Stationary 16ga shelf, #12-24 mounting hardware

| Type | Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Load Capacity | Catalog. No. |
|-------|-----------------------|----------------------|----------------------|---------------|-----------------|
| Solid | 3.5" (89) | 17" (432) | 19" (483) | 75lb | MCCCWS19 |

Horizontal Grounding Bar for 19" Rack

| Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Hole1 Qty | Hole1 Size | Hole2 Qty | Hole2 Size | Catalog No. |
|-----------------------|----------------------|----------------------|--------------|---------------|--------------|---------------|-----------------|
| .25" (6) | .75" (19) | 19" (483) | 8 | #6-32 | 4 | 0.25" (6) | HBBBHR19 |

Horizontal Grounding Bar for 19" Rack

| Height Inches (mm) | Width Inches (mm) | Depth Inches (mm) | Hole1 Qty | Hole1 Size | Hole2 Qty | Hole2 Size | Catalog No. |
|-----------------------|----------------------|----------------------|--------------|---------------|--------------|---------------------------|-----------------|
| .25" (6) | 5/8 (16) | 36" (914) | 16 | 1/4-20 | 3 | .25 (6) x .5 (12) Slot | HBBBVR36 |

Caster Kit

Catalog. No.

H2KMB



Network Cabinet Fan Kit, 460 CFM

Enclosure will accept 2 Fan Kits

Catalog. No.

H2KNF



Vertical Cable Management Bar

Size Catalog. No.

for 80" cabinet **H280CM**

for 84" cabinet **H284CM**



Server Cabinet Fan Kit, 460 CFM

Enclosure will accept 2 Fan Kits

Catalog. No.

H2KSF

