

# Get Dialed In

with Allen Tel Non-Metallic Enclosures



**Graybar**  
works to your advantage

**Designed for Harsh Environments**

# Designed for Harsh Environments

Allen Tel's new Non-Metallic Enclosure complements our array of Outdoor and Emergency Telephones. They are designed for environments ranging from frigid cold to severe heat and provide additional protection against moisture and corrosion. The weather-resistant Non-Metallic Enclosure is ideal for both indoor and outdoor applications. You can choose from a variety of telephones and features, as well as having the telephone customized and programmed for your specific requirements.

## Non-Metallic Enclosures



**GB80H**

TELEPHONE logo on door



**GB80H-EY**

EMERGENCY logo on door



**GB80H-LL**

Less logo on door

- Designed for indoor and outdoor use
  - Marinas
  - Pools, Gymnasiums, Ski Resorts
  - Manufacturing Facilities
  - Streets and Highways
- Industrial design includes polycarbonate case for durable strength
- Fully gasketed door
- RoHS Compliant
- Custom logos available
- Temperature Rating -40° C to 43° C (-40° F to 110° F)
- Flame Rating UL 94-5V
- Standard logo is TELEPHONE
- Standard color is grey

Outside Dimensions:  
L 14.04" x W 9.655" x D 8.27"

Inside Dimensions:  
L 11.31" x W 7.186" x D 6.44"

### Housing Only

Part Number	Description
GB80H	Non-Metallic Enclosure, "TELEPHONE", Grey
GB80H-EY	Non-Metallic Enclosure, "EMERGENCY", Grey
GB80H-LL	Non-Metallic Enclosure, Less Logo, Grey



## Get Dialed In with





## Housing e/w Telephone Set



GB82VH

GB80VS

## Housing e/w Telephone Set

Part Number	Description		
GB82V	Single Line, Pushbutton Tone dial Equipped with Amplified Receiver, Non-Metallic Enclosure		
GB80VN	No Dial, Can Be Used with Auto Ringdown Circuits. Equipped with Amplified Receiver		
GB80VS	Single Line, Programmable Single Number Dialer, Equipped with Amplified Receiver		
GB80VD	Single Line, Pushbutton Pulse (Rotary Dial) Equipped with Amplified Receiver, Non-Metallic Enclosure		
OPTION CODES	H = 14" Armored Cord Y = "EMERGENCY"	T = Noise Canceling Transmitter L = Less Logo M = Metal Dial	Example: GB82VH (Armored Cord)

## Housing e/w Mini-Wall Telephone



GB84V

## Housing e/w Mini-Wall Telephone

Part Number	Description
GB84V	GB80H e/w GB2554V44 Mini-Wall Telephone Set
OPTION CODES	Y = "EMERGENCY" L = Less Logo Example: GB84VY (EMERGENCY logo)

## Telephone Set Options include

- Armored handset cords
- ADA-compliant versions
- Hearing Aid Compatible handsets (HAC)

Non-Metallic Enclosures From Allen Tel

## Housing e/w Speakerphone



## Housing e/w Speakerphone

Part Number	Description	
GB87D	Outdoor Speakerphone, Tone Dial "Push to Operate". Switch and Programmable Disconnect	
GB87N	Outdoor Speakerphone, No Dial, "Push to Operate" Switch and Programmable Disconnect	
GB87SND	Outdoor Speakerphone, Programmable Single Number Dialer, "Push to Operate". Switch and Programmable Disconnect	
GB87NADA	Less Dial for Automatic Ringdown Circuits, ADA Compliant	
OPTION CODES	EY = "EMERGENCY" LL = Less Logo	Example: GB87DEY (EMERGENCY logo)

For more information regarding our Non-Metallic Enclosures please contact Allen Tel Customer Service

## Other Enclosure Options



Die Cast  
Aluminum  
Enclosures



Pole Mounting Brackets



**GB5955PMB**  
Manufactured and  
Designed  
to fit ALL  
Allen Tel's  
Enclosures



**Customized Outdoor Enclosures, ADA Outdoor and Completely Customized Housings**