

Sold by:




TWAcomm.com
<http://www.TWAcomm.com>
Toll Free: (877) 892-2666



RESIDENTIAL

connections



Residential and SOHO Cabling Systems

connections

SUTTLE



The modern home has become the convergence point for voice, data, and electronic entertainment devices. Multiple phone lines, home office computer networks, broadband Internet access, digital TV services, and other innovative technologies are changing the way we enjoy our homes and our lives. The common thread that binds and enables these services is a residential cabling solution that can provide the high-speed connectivity for the needs of both today and tomorrow.



Suttle Delivers:


Founded in 1910, the Suttle legacy of products for service providers and residential customers is unmatched in the communications industry. Our commitment to manufacturing high quality, installation friendly connection products is the cornerstone on which our business is founded, and has been the engine for many product designs which are considered standard in the industry today. This innovative approach is seen in our new *CorroShield*® products that deliver the next level of protection and value in connection hardware.

The Residential and SOHO Cabling Product Family Includes:



- SOHO Network Enclosures – Scalable and modular residential gateway connection boxes deliver flexibility and an organized connection point for voice, data, video, and DSL services.
- Modular Multimedia – Individual voice, data, and video modules provide easy deployment of multiple services throughout the home in an attractive finish to match the décor.
- Traditional Home Media – Series 2000 products bring a connection option for voice and video service.
- DSL *LineConditioners*® – Suttle continues its leadership with our DSL filtering products.



CorroShield




- Contact corrosion is easily preventable with Suttle's *CorroShield* Connectors.




Introducing *CorroShield*, the highest level of protection against the corrosive effects of humidity, saltwater, chemicals, water, dirt, and other contaminants. Now the patented product that the world's largest carriers have standardized on for voice line service has been expanded into voice and data products designed especially for today's home. The residential applications are far-reaching from high humidity basement and kitchen installations, to entire communities in inland and coastal locations.

How *CorroShield*® Protects Your Connections.

Prior to plug insertion, the *CorroShield* gel maintains an airtight seal around all conducting surfaces in the jack.



The gel is displaced upon plug insertion, resulting in a protective airtight seal around the plug and jack conducting surfaces.




Suttle's family of *CorroShield* products are designed to deliver improved performance and reduced service calls through increased connector reliability. During manufacturing, a specially formulated gel is applied to all surfaces at risk of contamination, completely surrounding the gold contact wires. When the voice or data cord is inserted, the gel forms an airtight seal around the connection, preventing corrosion and other contact problems.

The unique memory characteristics of the *CorroShield* gel continue to deliver long after installation. When the voice or data cord is removed from the connector, the gel will return to its original position, maintaining the airtight seal for hundreds of insertion events.



- *CorroShield* protects all conducting surfaces.



SOHO Network Enclosures

Easy to mount, easy to connect. The Gateway Connection Box provides an environment for the termination of all residential connection needs. The box meets TIA/EIA 570-A standards for residential cabling, Grades 1 and 2, and provides connection modules for Voice, Category 5e Data, xDSL and Video. The 3.5-inch box depth, adjustable cover, top and bottom knockouts, and multiple cable ties deliver the ultimate in flexibility.

■ Designed to deliver organized connectivity for residential voice, data, video, and DSL services.

■ Flexible cover hinge design allows for right or left swing configuration.



RG24
(Loaded)

Network Enclosures

RG Connection Boxes are TIA/EIA 570-A Grade 1 and 2 compliant. They are designed to be flush mounted between standard 16" centered wall studs, or surface mounted. The cover hinge design allows mounting for a right or left swing. The cover hinge depth is also adjustable to allow for a variety of wall board thicknesses.

Network Enclosures

<input type="checkbox"/>	RG24	9 Distribution module capacity (3 backboards), dimensions 14.5" w x 24" h
<input type="checkbox"/>	RG12	3 Distribution module capacity (1 backboard), dimensions 14.5" w x 12" h



RG-V1-8

Voice Distribution Modules

The RG-V1 modules are configured for mass termination of star voice residential wiring. A 4-pair IDC is provided for service provider cabling, which is linked to up to eight 4-pair IDCs for connection to star-wired voice outlets.

Voice Distribution Modules

<input type="checkbox"/>	RG-V1-8	8-port - 110 IDC blocks
<input type="checkbox"/>	RG-V1-6	6-port - 110 IDC blocks
<input type="checkbox"/>	RG-V1-4	4-port - 110 IDC blocks

Voice Distribution Modules - Alarm Ready

<input type="checkbox"/>	RG-V1A-8	8-port - 110 IDC blocks, (1) RJ31X alarm jack
<input type="checkbox"/>	RG-V1A-6	6-port - 110 IDC blocks, (1) RJ31X alarm jack
<input type="checkbox"/>	RG-V1A-4	4-port - 110 IDC blocks, (1) RJ31X alarm jack




closures

■ Top and bottom knockouts for single gang electrical box for 110v service.

■ Plastic grommets included for protection of cables entering the enclosure.



RG-D1-8



RG-DSL-1-8

Data Distribution Modules

The RG-D1 modules are Category 5e compliant. The jack/IDC combinations are independently configured and each has an 8 conductor jack and accompanying 4-pair IDC block for Category 5e cable termination.

Cat 5e Data Distribution Modules

- | | | |
|--------------------------|---------|---|
| <input type="checkbox"/> | RG-D1-8 | 8-port - 110 IDC blocks/8 conductor modular jacks |
| <input type="checkbox"/> | RG-D1-6 | 6-port - 110 IDC blocks/8 conductor modular jacks |
| <input type="checkbox"/> | RG-D1-4 | 4-port - 110 IDC blocks/8 conductor modular jacks |

DSL Distribution Modules

RG-DSL modules provide an effective way to distribute Broadband DSL service throughout the residence while accomplishing voice line filtering in a single location. The RG-DSL module configurations provide a variety of connection options for either IDC and/or 8 conductor modular jacks for voice and DSL deployment.

DSL Distribution Modules*

- | | | |
|--------------------------|--------------|---|
| <input type="checkbox"/> | RG-DSL 1-8 | 8 DSL - 110 IDC blocks, 8 filtered voice - 110 IDC blocks |
| <input type="checkbox"/> | RG-DSL 2-8** | 8 DSL - 8 conductor jacks, 8 filtered voice - 8 conductor jacks |
| <input type="checkbox"/> | RG-DSL 3-8 | 8 DSL - 110 IDC blocks/8 conductor jacks, 8 filtered voice - 110 IDC blocks/8 conductor jacks |

* DSL Distribution Modules require 2 module locations for installation.

** If the RG-DSL2-8 Module is used, an accompanying RG-D1-X is recommended.

Coax Distribution Modules

- | | | |
|--------------------------|-------|---|
| <input type="checkbox"/> | ASP-4 | 4 way - Video distribution splitter (F connector) |
|--------------------------|-------|---|

Modular Multimedia

Suttle modular connection products make it easy to install whatever voice, data or video solution you need. Our full selection of products includes the Series 2000 Modular line. Available in 6 wire voice grade, Category 5e, and coax configurations, Series 2000 modular and surface-mount faceplates offer an attractive design, choice of colors, and snap-in assembly.

■ Data modules greatly exceed Category 5e performance specifications.


■ Faceplate products are available in light almond, electrical ivory, and white.



2-7001



2-7006-64



2-2502-52



2-2506-52

Multimedia Modules

Voice Modules

- 2-7005 6-Position, 6-Conductor, 110 IDC blocks
- 2-7004 6-Position, 6-Conductor, *CorroShield*, 110 IDC blocks

Category 5e Data Modules

- 2-7001 8-Position, 8-Conductor, 568A/B, 110 IDC blocks
- 2-7022 8-Position, 8-Conductor, 568A, *CorroShield*, 110 IDC blocks
- 2-7023 8-Position, 8-Conductor, 568B, *CorroShield*, 110 IDC blocks
- 2-7008 Blank

Each Suttle Multimedia Module comes packaged with the following color indentifying bezels: Light Almond, Electrical Ivory, White, Green, Red, Yellow, Blue, Orange.

Coax Modules

- 2-7006-XX F Connector

Standard Colors Available: (64) Light Almond, (52) Electrical Ivory, (85) White

Modular Faceplates

Single Gang

- 2-2502-XX 2-Port
- 2-2504-XX 4-Port
- 2-2506-XX 6-Port
- 2-2504A-XX 4-Port Angled

Double Gang

- 2-2506D-XX 6-Port
- 2-2512D-XX 12-Port
- 2-2508AD-XX 8-Port Angled

Standard Colors Available: (64) Light Almond, (52) Electrical Ivory, (85) White


Can't find what you're looking for? Just ask! To learn about other Suttle products, please contact Suttle at (800) 818-8531 or visit us at www.suttleonline.com

RESIDENTIAL connections

■ Voice and data modules available in *CorroShield* sealed configurations for use in hostile environments.

■ Flush mount faceplates and surface mount housings deliver flexibility for any application.

■ Patchcords meet Category 5e requirements and are available in a variety of colors and lengths.



Surface Mount

Surface Mount Housings

<input type="checkbox"/>	STAR558-XX	1 or 2 Ports
<input type="checkbox"/>	STAR107SM-XX	3 Port
<input type="checkbox"/>	STAR108SM-XX	6 Port
<input type="checkbox"/>	STARMMB-XX	Up to 12 Ports

Surface Mount Boxes

<input type="checkbox"/>	STARMBD-XX	Surface mount box, single gang
<input type="checkbox"/>	STARMBDD-XX	Surface mount box, double gang

Standard Colors Available: (64) Light Almond, (52) Electrical Ivory, (85) White

Patch Cords

Category 5e Patchcords

<input type="checkbox"/>	2-7403-XX	3 Feet
<input type="checkbox"/>	2-7407-XX	6 Feet
<input type="checkbox"/>	2-7410-XX	9 Feet
<input type="checkbox"/>	2-7415-XX	12 Feet

Standard Colors Available: (53) Red, (56) Yellow, (62) Blue



2-7415-53

Can't find what you're looking for? Just ask! To learn about other Suttle products, please contact Suttle at (800) 818-8531 or visit us at www.suttleonline.com

Connections Traditional Home Media

Behind the sleek, modern surface of our Series 2000 Faceplates, you'll find the durable, easy-mounting design that makes Suttle the industry leader. Available in four designer colors to match existing electrical faceplates, Series 2000 products look great in any home. They install without mounting brackets, can be equipped with spring-loaded trap doors and are available in *CorroShield* versions.

■ Products exceed the quality and performance standards required by the world's largest carriers.

■ Smooth, sleek faceplate design matches electrical faceplates.



2-3001-52

Voice/Video Simplex, 6 position

<input type="checkbox"/>	2-3001-XX	4-Conductor, Screw Terminal
<input type="checkbox"/>	2-3002-XX	4-Conductor, Trap Door, Screw Terminal
<input type="checkbox"/>	2-3010-XX	4-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-3011-XX	4-Conductor, Trap Door, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-3012-XX	4-Conductor, Filled Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-3013-XX	4-Conductor, Trap Door, Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-3003-XX	6-Conductor, Screw Terminal
<input type="checkbox"/>	2-3022-XX	6-Conductor, IDC Block
<input type="checkbox"/>	2-3004-XX	6-Conductor, Trap Door, Screw Terminal
<input type="checkbox"/>	2-3014-XX	6-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-3015-XX	6-Conductor, Trap Door, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-3016-XX	6-Conductor, Filled Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-3017-XX	6-Conductor, Trap Door, Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-3020-XX	F-Type Coax



2-1001-52

Voice Duplex, East/West, 6 position

<input type="checkbox"/>	2-1001-XX	4-Conductor, Screw Terminal
<input type="checkbox"/>	2-1010-XX	4-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-1011-XX	4-Conductor, Filled Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-1002-XX	6-Conductor, Screw Terminal
<input type="checkbox"/>	2-1012-XX	6-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-1013-XX	6-Conductor, Filled Splice Connectors, <i>CorroShield</i>

Standard Colors Available: (64) Light Almond, (52) Electrical Ivory, (85) White



Can't find what you're looking for? Just ask! To learn about other Suttle products, please contact Suttle at (800) 818-8531 or visit us at www.suttleonline.com

Media

■ Products available in light almond, ivory, electrical ivory, and white.

■ Combination Voice/Video combination faceplates are ideal for satellite TV and set top box applications.

■ Voice products available in *CorroShield* sealed configurations with and without trapdoors for use in hostile environments.



2-2002-64



2-2022-64



2-4002-52

Can't find what you're looking for? Just ask! To learn about other Suttle products, please contact Suttle at (800) 818-8531 or visit us at www.suttleonline.com

Voice Duplex, North/South, 6 position

<input type="checkbox"/>	2-2001-XX	4-Conductor, Screw Terminal
<input type="checkbox"/>	2-2002-XX	4-Conductor, Trap Door, Screw Terminal
<input type="checkbox"/>	2-2010-XX	4-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-2011-XX	4-Conductor, Trap Door, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-2012-XX	4-Conductor, Filled Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-2013-XX	4-Conductor, Trap Door, Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-2003-XX	6-Conductor, Screw Terminal
<input type="checkbox"/>	2-3006-XX	6-Conductor, IDC Block
<input type="checkbox"/>	2-2004-XX	6-Conductor, Trap Door, Screw Terminal
<input type="checkbox"/>	2-2014-XX	6-Conductor, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-2015-XX	6-Conductor, Trap Door, Screw Terminal, <i>CorroShield</i>
<input type="checkbox"/>	2-2016-XX	6-Conductor, Filled Splice Connectors, <i>CorroShield</i>
<input type="checkbox"/>	2-2017-XX	6-Conductor, Trap Door, Splice Connectors, <i>CorroShield</i>

Voice/Video Combination, North/South, 6 position

<input type="checkbox"/>	2-2021-XX	(1) 4-Conductor, Screw Terminal (1) F-Type Coax
<input type="checkbox"/>	2-2022-XX	(1) 4-Conductor, Trap Door, Screw Terminal (1) F-Type Coax
<input type="checkbox"/>	2-2023-XX	(1) 6-Conductor, Screw Terminal (1) F-Type Coax
<input type="checkbox"/>	2-2024-XX	(1) 6-Conductor, Trap Door, Screw Terminal (1) F-Type Coax
<input type="checkbox"/>	2-2020-XX	(2) F-Type Coax

Wall-Mount, 6 position

<input type="checkbox"/>	2-4002-S	6-Conductor, Screw Terminal, Stainless Steel
<input type="checkbox"/>	2-4002-XX	6-Conductor, Screw Terminal
<input type="checkbox"/>	2-4010-S	6-Conductor, IDC Block, Stainless Steel
<input type="checkbox"/>	2-4010-XX	6-Conductor, IDC Block

Standard Colors Available: (64) Light Almond, (52) Electrical Ivory, (85) White

DSL Line Conditioners

Addressing the challenges created by DSL broadband technology deployments in the home, the Suttle Line Conditioner® family of products filters out any erratic impedance from telephone equipment, delivering high bandwidth ADSL transmission capabilities. Available in both wall-mount and inline styles, Suttle DSL Line Conditioners can be deployed to meet any DSL filtering application.

■ Wall mount designs either mount between wall mount telephone and wall mount jack, or as a single flush mounted wall jack.



SE-900LC-50

Inline




900 Series In-Line

<input type="checkbox"/> 900LC-50	1 Line Filtered
<input type="checkbox"/> 900LCC-50	1 Line Filtered, compliant
<input type="checkbox"/> 900LC-2F-50	2 Lines Filtered
<input type="checkbox"/> 900LCC-2F-50	2 Lines Filtered, compliant

Adapters



SE-900LCS-2F-50



900 Series Adapters

<input type="checkbox"/> 900LCS-50	1 Line Filtered, Auxiliary DSL Jack
<input type="checkbox"/> 900LCCS-50	1 Line Filtered, Auxiliary DSL Jack, compliant
<input type="checkbox"/> 900LCS-2F-50	2 Lines Filtered, Auxiliary DSL Jack
<input type="checkbox"/> 900LCCS-2F-50	2 Lines Filtered, Auxiliary DSL Jack, compliant

RESIDENTIAL connections

ers

■ Compliant designs meet ANSI T1E1.4 RE 7R3 standards for DSL filter compliance.

■ Wall mount configurations available with auxiliary DSL Jack.

■ Available in one and two line filtering configurations.




630LC-85



630LCL-S


Wallmount



630 Series Adapters, 6 position

For use with existing wall jack - 4.7" x 3.2" x .10"

<input type="checkbox"/>	630LC-XX	1 Line Filtered
<input type="checkbox"/>	630LCC-XX	1 Line Filtered, compliant
<input type="checkbox"/>	630LC-2F-XX	2 Lines Filtered
<input type="checkbox"/>	630LCC-2F-XX	2 Lines Filtered, compliant
<input type="checkbox"/>	630LC1-XX	1 Line Filtered, Auxiliary DSL Jack
<input type="checkbox"/>	630LCC1-XX	1 Line Filtered, Auxiliary DSL Jack, compliant
<input type="checkbox"/>	630LC1-2F-XX	2 Lines Filtered, Auxiliary DSL Jack
<input type="checkbox"/>	630LCC1-2F-XX	2 Lines Filtered, Auxiliary DSL Jack, compliant



630 Series Flush Mount, 6 position

Used as flush mounted wall jack - 4.7" x 3.2" x .25"

<input type="checkbox"/>	630LCL-XX	Low Profile, Screw Terminal, 1 Line Filtered
<input type="checkbox"/>	630LCCL-XX	Low Profile, Screw Terminal, 1 Line Filtered, compliant
<input type="checkbox"/>	630LCL-S	Low Profile, Screw Terminal, 1 Line Filtered
<input type="checkbox"/>	630LCCL-S	Low Profile, Screw Terminal, 1 Line Filtered, compliant

Can't find what you're looking for? Just ask! To learn about other Suttle products, please contact Suttle at (800) 818-8531 or visit us at www.suttleonline.com

Standard Colors Available: (52) Electrical Ivory, (50) Ivory, (85) White

Suttle's Commitment To You

Suttle is committed to manufacturing a quality product which meets or exceeds our customer expectations at the lowest total cost.

We believe in and have designed our processes "to do it right the first time" by focusing on defect prevention and continuous improvement in all that we do.

- **Suttle is proud of our long-standing reputation for providing the telecommunication and data industries a superior product, installer certification program and 15 year warranty.**
- **The 15-Year Warranty covers the performance of Suttle's Residential and SOHO Cabling Systems product lines, when installed in a compliant EIA/TIA 568-A system using Suttle's partners for horizontal cable.**
- **The Blue Ribbon Plus Installer Certification and Warranty Plan gives your installations an edge with the knowledge and support of Suttle, an ISO 9001 Certified Manufacturer with a reputation of over 75 years of quality and service the telco market.**

Call (800) 818-8531 for information on Suttle's Certification Training Program.



Want to see more?

Request a copy of Suttle's New Commercial Connections Catalog, featuring the latest products designed for the premise environment.

Call Suttle at (800) 818-8531, or visit us online at www.suttleonline.com

SUTTLE

P.O. Box 548 • Hector, MN 55342
Tel: (800) 818-8531 • Fax: 320-848-6218