


EZPath™

FIRE RATED PATHWAY



CABLE PATHWAY AND FIRESTOP DEVICE

*The new, easy-to-install cable pathway
that requires no firestopping.*

www.stifirestop.com



Specified Technologies, Inc.

Sold by:



[TWAcomm.com](http://www.TWAcomm.com)
<http://www.TWAcomm.com>
Toll Free: (877) 389-0000



EZ-Path™ — The Solution For High Traffic Openings

Continually changing technology and the expanding data and communications needs of many industries results in constant cable additions and changes penetrating rated barriers. Existing methods typically use sleeves filled with a non-hardening putty to facilitate cable retrofits. UL® Classified firestop systems for cable penetrations reference complicated and confusing NEC (National Electric Code) cable loading computations to indicate the amount of cabling that can be safely installed using the published designs. These "fill percentages" indicate how much cabling can be installed while still leaving adequate room for firestopping materials. As cables are added and firestop is removed, conventional sleeve systems may become non-compliant.

EZ-Path™ eliminates these problems. From installation (empty) to 100% visual fill it remains fire and smoke compliant...100% of the time.



EZ-Path™ Floor Installation

Easy Installation and Cable Changes Without Firestopping

No Firestopping Required

For new or existing cable applications, EZ-Path* is the cable pathway that needs no firestopping. EZ-Path™ is the easy-to-install solution for penetrating fire-rated walls.

Quick Economical Installation

The all-in-one design EZ-Path™ installs in minutes. There is nothing else to buy and no coordination of trades required.

Efficient, Expandable and Quick, Easy Cable Changes

The compact square design (3" x 3" x 10.5" long) provides greater cable loading than a conventional 4" sleeve. Cables can be added or changed without the need to remove and re-install firestopping materials. EZ-Path™ will pay for itself in just a few cable changes.



Single or multiple EZ-Path™ devices can be installed using available single, duplex, or triplex wall plates — for additional capacity, segregation of cables, and cable management.


Professional Engineered Appearance

EZ-Path™ installations offer a clean, professional, engineered appearance that appeals to owners, tenants, and inspection authorities. The device is colored safety orange and comes with wall labels for easy identification.

Code Compliant

EZ-Path™ is UL® Classified and FM Approved in accordance with ASTM E814 (UL1479). UL systems are available for up to 4 hour rated floor and wall constructions. Empty or full, EZ-Path™ is continuously code compliant... 100% of the time. Its innovative built-in firestop design assures it is firestopped even at maximum cable loading.

City of New York MEA 369-02-M.






*patent pending

Firestop Protection 100% of the Time

Maximum Fire Protection

EZ-Path™ offers maximum resistance to fire whether it is empty or 100% visually filled. It's your assurance of economical fire protection with every new or retrofit cable installation.



EZ-Path™ splits apart easily for old work.

Fast-Acting Intumescent Performance

EZ-Path™ features a built-in firestopping system that automatically adjusts to the number of cables installed. The device consists of a heavy-gauge galvanized steel pathway and wall plates lined with intumescent materials. Engineered for rapid expansion when exposed to fire or high temperatures, this intumescent material responds to flames or heat by quickly sealing the pathway and preventing the passage of flames and smoke.

UL® Tested – Low Leakage 100% of the Time

EZ-Path™ is a low-leakage device that remains fire and leakage safe whether empty or 100% visually filled. Sleeves are subject to cable load and putty variations and can become non-compliant as cables are added and putty is removed.

EZ-Path™ – Always Compliant



EZ-Path™ can be ganged for expansion or segregation of cables and provides excellent cable management.

Unlike conventional sleeve and putty systems, EZ-Path™ remains fire and smoke compliant 100% of the time!

STI Rep./Distributor

STI: The Leader in Firestop Solutions

EZ-Path™ is manufactured by STI — an industry leader solely committed to the development of innovative, reliable firestopping solutions. STI offers over 625 UL® Classified systems that assure high-quality, high-performance, highly cost-effective firestopping solutions.

Required Components

	All Components Included	Pathway	Wall Plate Kits	Positioning Clamp Kit
New Cable Installations Using Wall Plates				
Single Pathway (Complete Kit)	(1)*EZDP33FWS			
Single Pathway	N/A	(1)*EZD33FWS	(1)*EZP133W	N/A
Double Pathway	N/A	(2)*EZD33FWS	(1)*EZP233W	N/A
Triple Pathway	N/A	(3)*EZD33FWS	(1)*EZP333W	N/A
New/Existing Cable Installations Using Sealant				
Single Pathway	N/A	(1)*EZD33FWS	N/A	(1)*EZP133PC
Existing Cable Installations (Retro-Fit)				
Single Pathway (Complete Kit)	(1)*EZDP33WR	N/A	N/A	N/A

* Indicates the quantity of the catalog number that must be ordered to complete the referenced installation method. Please refer to the ordering information chart below for ordering information and catalog number descriptions.

Ordering Information

Catalog Number	UPC# 730573	Description	Unit Pkg Qty.	Std. Pkg. Qty.	lbs. Each
EZDP33FWS	00034	Device, full kit includes wall plates & labels	1	4	3.50
EZD33FWS	00004	Fire Rated Pathway device	1	6	2.65
EZDP33WR	00533	Device, retro-fit kit includes wall plates & labels	1	1	6.25
EZP133W	00133	One pair (2) single wall plates with wall labels	1	1	0.50
EZP233W	00233	One pair (2) double wall plates with wall labels	1	1	0.70
EZP333W	00333	One pair (2) triple wall plates with wall labels	1	1	0.90
EZP133PC	00135	One pair (2) positioning clamps	1	1	0.18
SSS100	01100	SpecSeal® Intumescent sealant 10.1 oz. tube	1	12	0.87
LCI300	01170	SpecSeal® Intumescent sealant 10.1 oz. tube	1	12	0.85
PEN300	01120	Pensil Silicone sealant 10.3 oz. tube	1	24	1.10



Specified Technologies, Inc.

200 Evans Way
Somerville, NJ 08876
Toll Free: 800-992-1180
Fax: (908) 526-9623
e-mail: ezpath@stifirestop.com



**For More Information
call 1-800-992-1180 or
visit www.stifirestop.com**

EZ-Path™ is a trademark of Specified Technologies, Inc.
SpecSeal® is a registered trademark of Specified Technologies, Inc.
UL® is a registered trademark of Underwriters Laboratories, Inc.
© Copyright 2003. All rights reserved.

ZSTI3114A