

Bring Power & Communications To The Point-Of-Use – Choose the Look!

New
Features!!

Bring technology to the user by installing deQuorum Work Surface Portals into conference tables, individual workstations, or mobile teaming tables. deQuorum Work Surface Portals deliver convenient access to vital services, including power, voice, and data, to meet the demands of today's work environment. These units can be designed to blend with any office décor while accommodating the electrical and communications needs of the user, delivering both form and function. Not only do these units offer a variety of sleek finishes, they are also configurable with a full range of technology options including modular, multimedia connectors to make a "dumb" table "smart".



Mounted in a conference table, the deQuorum Work Surface Flush Portal makes a "dumb" table "smart".

The deQuorum Flip-Up Portals are simple solutions to work surface cabling needs









Features & Benefits

- **Hinged or spring-activated flip-up lid options.** Provides access to make connections. Hinged option can be closed during use making the portal unobtrusive.
- **Finish options.** A variety of finishes are available to accent or blend with the mounting surfaces.
- **Cover options.** Choose from either a die-cast flush or contoured cover for the Hinged version, or a die-cast flush cover for the Flip-Up version. There are options available with a decorative, recessed area that can accept a wide range of laminates and veneers.
- **Configurable.** deQuorum Work Surface Portals can be configured to meet most power and/or communications requirements including UTP, video, and fiber optics.
- **Gasketed Receptacle.** Two 15A or 20A spec grade receptacles are dust and moisture resistant.*
- **Installation flexibility.** Flush Unit is plug-ended or can be field-configured and installed on-site.
- **Cable management.** A separate component provides cable management below the mounting surface.
- **Datacom connectivity options.** Accepts industry standard and proprietary devices from a wide range of manufacturers to provide a seamless and aesthetically pleasing interface for voice, data, audio, and video applications at the point of use
- **UL[®] Listed to U.S. and Canadian safety standards.**

* Product meets latest UL spill test requirements against accidental spills. Product is not for use in wet or damp locations.









Flush Units Ordering Information

Flush Units Ordering Information				
Cord-Ended	KC			
	Product Group	Cover Color/Style:	Communications:	Decorative Recess:
		Flush Black = 10 Flush Graphite = 15 Flush Silver Tone = 20 Contoured Black = 40 Contoured Graphite = 45 Contoured Silver Tone = 50	Ortronics = RT Wiremold Open System = CM	Yes = 2 No = 8
<u>In-Stock Parts:</u>				
KC10CM2 KC10RT8 KC15RT8				
Field Installed	KF			
	Product Group	Cover Color/Style:	Communications:	Decorative Recess:
		Flush Black = 10 Flush Graphite = 15 Flush Silver Tone = 20 Contoured Black = 40 Contoured Graphite = 45 Contoured Silver Tone = 50	Ortronics = RT Wiremold Open System = CM	Yes = 2 No = 8
<u>In-Stock Parts:</u>				
KF10CM8 KF15RT2				

For information regarding communication inserts, go to:
www.wiremold.com

Flush Unit Communication Plates

Flush Unit Communication Plates			
Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
KA102RT  In-Stock	Replacement Ortronics Communications Plate – Installed bezels will accommodate either Series II Series II front-loading module system or the TracJack® individual jack system.	KA302 	Cable Cord Keeper Plate – Holds cables captive for easy access. Pull the cable out for use. Keeper bars provide seven adjustable openings for cables ranging from .150" to .350" [3.8mm to 8.9mm] in diameter.
KA104CM 	Replacement Wiremold Open System Communications Plate – Installed bezels accept Wiremold CM Series modules to accommodate a wide range of communications outlets and Pass & Seymour Network Wiring Activate™ Series front-loading insert system.	KA305  In-Stock	Extron® Mini AAP AV Adapter Plate – Plate will accept all specialized AV mini AAP components from Extron. Can fit six single size or three double size modules, or any combination. Includes necessary hardware.
KA700 	Replacement Dual 20A Gasketed Receptacles and Mounting Plate NEW!	KA301 	Single-Gang Opening Plate – Use this plate to install any communication and/or multimedia connectivity that requires a single-gang wallplate. Includes necessary hardware.

Design Options

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
Covers 	Flush Covers – Available finishes: Black, Graphite, or Silver Tone. Shown with flange. Decorative Recess		Cord Ended Configuration – Unit comes with two 20A gasketed prewired receptacles with a 12' [3.65m] 14/3 SJT black cord. Communications plate will include user chosen bezels and installer must connect communications modules purchased separately.
Covers 	Contoured Covers – Available finishes: Black, Graphite, or Silver Tone. Shown with flange. Decorative Recess		Field Installed Configuration – Unit comes with two 20A gasketed prewired receptacles with a gasketed plate and a 3/8" [9.5mm] diameter 6' [1.83m] flexible whip. Communications plate will include user chosen bezels and installer must connect communications modules purchased separately.

Flip-Up Unit Ordering Information

Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
KP9999 KP9999-15 	Single Flip-Up Unit – Black cover. Includes one 15A or 20A gasketed duplex receptacle. 12' [3.65m] cord.	KP2345 KP2345-15 	Single Flip-Up Unit – Stainless-finish cover. Includes one 15A or 20A gasketed duplex receptacle. 12' [3.65m] cord.
KP9999RT KP9999RT-15 	Dual Flip-Up Unit – Black cover. Includes one 15A or 20A gasketed duplex receptacle and one bezel to accommodate either Ortronics Series II front-loading module system or TracJack individual jack system. 12' [3.65m] cord.	KP2345RT KP2345RT-15 	Dual Flip-Up Unit – Stainless-finish cover. Includes one 15A or 20A gasketed duplex receptacle and one 2A bezel to accommodate either Ortronics Series II front-loading module system or TracJack individual jack system. 12' [3.65m] cord.
KP9999CM KP9999CM-15 	Dual Flip-Up Unit – Black cover. Includes one 15A or 20A duplex receptacle. Wiremold CM Series modules for a wide range of communications outlets. Also accommodates Pass & Seymour Network Wiring Activate™ Series front-loading insert system. 12' [3.65m] cord.	KP2345CM KP2345CM-15 	Dual Flip-Up Unit – Stainless-finish cover. Includes one 15A or 20A duplex receptacle. Wiremold CM Series modules for a wide range of communications outlets. Also accommodates Pass & Seymour Network Wiring Activate™ Series front-loading insert system. 12' [3.65m] cord.

Datacom Connectivity Options

Now you have a wide range of options for providing datacom connectivity into Wiremold® Cable Management Systems. They are:

- Ortronics® TracJack® and Series II Modular Connectivity Solutions
- Pass & Seymour Activate™ Modular Inserts
- Open System Communication Modules

ORT	ORT	ORT
P&S	P&S	P&S
OPEN	OPEN	OPEN

Use these icons to determine connectivity options for each Wiremold System component:

ORT
P&S
OPEN

Ortronics® Connectivity

TracJack® Individual Jack System

- Front-loading, snap-in design supports future moves adds and changes
- Inserts for voice, data, audio, and video
- Available Category 3, 5e, 6, USOC 6-position, and other media
- Flat or angled 45° exit configurations
- Choice of 13 colors and color matched to Wiremold Systems
- Universal T568A/B wiring format



Series II Front-Loading, Module System

- Module design features easy snap-in front-loading design
- Linear 110 punch down format for easy termination
- Inserts for voice, data, audio, and video
- Available Category 3, 5e, 6, USOC 6-position, and other media
- Available in flat or angled 45° exit configurations
- Color matched to Wiremold Systems



For detailed product selection refer to the Ortronics Catalog or visit www.ortronics.com.

ORT
P&S
OPEN

Pass & Seymour Legrand Network Wiring

Activate™ Series Front-Loading Inserts

- Modular inserts for voice, data, audio and video applications
- Front-load, snap-in design
- Color and texture matched to Wiremold Systems
- Available Category 3, 5e, 6, as well as 6-position USOC
- Universal T568A/B wiring format




For detailed product selection refer to the Pass & Seymour Network Wiring Catalog or visit www.passandseymour.com.

ORT
P&S
OPEN

Open Connectivity Solutions

Wiremold Open System Communications Modules

- Accommodate a wide range of manufacturers' communications outlets including keystone jacks, as well as proprietary solutions from Avaya (Systimax) and NORDX
- Modules insert into a wide range of Wiremold Systems
- Pre-punched faceplates accept common communication devices



NOTE: For more information on integrating connectivity into Wiremold Cable Management Systems contact the Wiremold Applications Engineering Team or your local Wiremold Sales Representative.

WIREMOLD



Wiremold / Legrand
U.S. and International:
60 Woodlawn Street • West Hartford, CT 06110
1-800-621-0049 • FAX 860-232-2062 • Outside U.S. 860-233-6251
Canada:
570 Applewood Crescent • Vaughan, Ontario L4K 4B4
1-800-723-5175 • FAX 905-738-9721

