

WIREMOLD® Evolution™ Series Floor Boxes

Evolution™ Series – The Next Generation of Floor Boxes

Evolution™ Series Floor Boxes are the latest advancement in the most complete and innovative line of floor solutions in the industry.

Inaddition to a unique design that allows the same floor box to be used in multiple floor applications, high capacity and multi-functional capabilities make Evolution Series Floor Boxes ideal for areas where large capacity audio/video, power and communication services are needed. Ranging in size from 6- to 10-gangs of capacity, these boxes have completely finished interiors with removable modules that provide easy access for reconfiguring services. Evolution Series Floor Boxes are an ideal option for installations where services are constantly evolving, such as commercial of fices, conference rooms, stages, and entertainment venues.



New Evolution Series Floor Boxes provide increased capacity options and a variety of innovations not available in any other floor boxes.

FEATURES & BENEFITS

One box many applications.

Evolution Series Floor Boxes are designed to work in concrete, raised and wood floor applications and are fully adjustable both pre- and post-concrete pour. A single box can be specified for multiple floor types without having to order additional components or accessories.





Raised Floors

Concrete Floors

Wood Floors

■ Configurable with removable modules.

In addition to having removable dividers and a tunnel feature that allows all compartments to be connected, the modules are removable through the top or back of the floor box. This allows for easier installations and facilitates moves, adds and changes without having to disconnect services, saving time and money.





■ Audio/Video Design.

Evolution Series Floor Boxes have been developed specifically with the A/V industry in mind. With 3 1/2" - 3 7/8" [89mm x 98mm] of wiring

capacity behind each device plate, these boxes will accept devices from leading A/V manufacturers including Extron Electronics and Crestron.

Durable 180° articulating hinge.

Hinge design enables covers to open a full 180° and lie flat on the floor surface with the durability to support a large cover. Provides easy access to all

easy access to all interior modules and activations while reducing tripping hazards.



FEATURES & BENEFITS (continued)

Auto-close egress doors.

Cable egress doors lock in position when open, and automatically closes around wires to protect cabling and reduce trip hazards.



Accepts standard size wall plates.

Evolution Series Floor Boxes accept industry standard single-, double- and triple-gang wall plates from industry leading manufacturers.



Die cast aluminum cover assemblies.

Multiple size knockouts.

All Evolution Series

available with multiple

for multiple activations and wiring configurations.

trade size knockouts

ranging in size from

3/4" to 2" allowing

Floor Boxes are

Evolution Series Floor Box Covers have been designed to work on multiple floor surfaces and are manufactured from die cast aluminum



to provide strength and style. Decorative powder coat colors (black, brass, bronze, gray and nickel) will complement any room décor.

■ Finished interior.

Fully finished interior removes the unfinished industrial look while increasing visibility, making it easier to see where to plug in devices.



■ Cable Management.

Allows multiple cables to be organized and controlled for easier cable egress.



Large capacity.

6- to 10-gangs of capacity to accommodate power, communications, and A/V devices. A minimum of 5" [127mm] of space between devices providing ample space for hand access when plugging and unplugging into the devices.




■ Furniture Feed.

Designed to be installed in concrete, raised and wood floors. Provides large capacity feeds (up to 2"). Trade size knockouts for power, communications and A/V devices.



Suitable for use in air handling spaces.

In accordance with Sec 300-22(c) of the National Electric Code.



Evolution Series Floor Box has been designed to be installed into bare (polished) concrete and terrazzo floors.




Meets ADA Accessibility Guidelines.

Trim flange is designed to meet the ADA Accessibility Guidelines as it pertains to ADA Standard 4.5, which addresses the change in floor and ground surface levels.

■ TopGuard™ Protection.

Evolution Series Floor Box covers meet and exceed UL scrub water exclusion requirements for tile, carpet, wood, bare concrete and terrazzo floor coverings.



Note: All items shown above are included with Evolution Series Floor Boxes.


Evolution Series	Floor Box M	odel Selection	n Guide					
EVOLUTION FLOOR BOX MODEL	EFB6S	EFB6S-OG	EFB8S	EFB8S-OG	EFB10S	EFB10S-OG	EFBFF	EFBFF-OG
INSTALL FLOOR TYPE: Concrete Floor Raised Floor Wood Floor	YES YES YES	YES	YES YES YES	YES	YES YES YES	YES	YES YES YES	YES
BOX TYPE:	Standard	On-Grade	Standard	On-Grade	Standard	On-Grade	Furniture Feed	Furniture Feed
BOX CAPACITY:	6-Gangs	6-Gangs	8-Gangs	8-Gangs	10-Gangs	10-Gangs	2-Gangs	2-Gangs
DEPTH BEHIND PLATES:	3 7/8" [98mm]	3 7/8" [98mm]	3 1/2" [89mm]	3 1/2" [89mm]	3 1/4" [81mm]	3 1/4" [81mm]	N/A	N/A
REMOVABLE MODULES:	YES	YES	YES	YES	YES	YES		
DEVICE PLATE SIZE:	Uses Standard Size Device Plates: Single-Gang (2 3/4" x 4 1/2") [70mm x 114mm]		Uses Standard Size Device Plates: Single-Gang (2 3/4" x 4 1/2") Double-Gang (4 9/16" x 4 1/2") Triple-Gang (6 3/8" x 4 1/2") Four-Gang (8 1/8" x 4 1/2")		Uses non-standard size Device Plates (4.652" x 2.302") [117mm x 58mm]		-	
COVERS: COLORS:	EFB610CTC Series, EFB610BTC Series, EFB610CT Series, EFB610BT Series Black, Gray, Brass, Nickel, Bronze					FPFFTC Series Black, Gray, Brass, Nickel, Bronze, Brushed Aluminum		
FLOOR SURFACE:	Carpet, Tile, Wood, Bare (Polished) Concrete & Terrazzo							
KO SIZE RANGE: (Trade Size)	3/4" to 2"	3/4" to 2"	3/4" to 2"	3/4" to 2"	3/4" to 2"	1" to 2"	1/2" to 2"	1/2" to 2"
NOTES:		Covers oper	full 180°, Slide cal	ole egress doors, P	ainted interior		•	

Evolution Series Floor Box Compartment Volumes						
MODEL	OUTER COMPA	RTMENTS (Each)	CENTER COMP	ARTMENTS (Each)		
EFB6 Series	32 in. ³	[524ml]	38.5 in. ³	[630ml]		
EFB8 Series	27.5 in. ³	[450ml]	34 in. ³	[557ml]		
EFB10 Series	23.5 in. ³	[385ml]	27.5 in. ³	[450ml]		
EFBFF Series	64.5 in. ³	[1056ml]	64.5 in. ³	[1056ml]		

Evolution Series EFB6 Floor Box Ordering Information

Catalog No./Item

EFB6S



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR

must be used. (Sold separately.)



Items not included with the box and sold separately:

- · Receptacles.
- Communication Jacks
- A/V Devices
- · Device plates.

Description/Specifications

6-Gang Floor Box - has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. Designed to work with standard size wall plates. Box comes complete with all components needed for initial installation.

Box is compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.


[103mm] Country of Origin: USA

Components Included:


- A Protective/Disposable Cover
- B Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- D Two (2) Toggle Clamps to secure box to raised and wood floors
- E Two (2) Cable Management Guides
- F Two (2) Leveling Support Legs for concrete applications
- G Trade Size Knockouts ranging in size from 3/4" to 2" trade size

Each Module Consists of:


- One (1) EFB6S-MB Mounting Bracket
- · One (1) Back Plate
- · Two (2) End Caps
- One (1) EFB6S-DIV Divider
- Three (3) 3/4"/1 1/4" Concentric Knockout Plate



EFB6S Depth Behind Plates



EFB6S Knockout locations & Sizes




NOTE: Three (3) removable knockout plates per side allow for the EFB6S-2HUB 2" conduit adapter to be installed.

Evolution Series EFB6 Floor Box Ordering Information

Catalog No./Item

EFB6S-OG



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)

Description/Specifications

6-Gang Floor Box – has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. Designed to work with standard size wall plates. **Box comes complete with all components needed for initial installation.** Custom options are available upon request.

Country of Origin: USA

Components Included:

- A Protective/Disposable Cover
- **B** Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- **D** Two (2) Cable Management Guides
- **E** Two (2) Leveling Support Legs for concrete applications
- **F** Trade Size Knockouts ranging in size from 3/4" to 2" trade size


Each Module Consists of:

- One (1) EFB6S-MB Mounting Bracket
- One (1) Back Plate
- One (1) EFB6S-DIV Divider




Items not included with the box and sold separately:


- · Receptacles,
- Communication Jacks
- A/V Devices
- · Device plates.



EFB6S-OG Depth Behind Plates



EFB6S-OG Knockout locations & Sizes



NOTE: Three (3) removable knockout plates per side allow for the EFB6S-2HUB 2" conduit adapter to be installed.

Evolution Series 6-Gang Floor Box Accessories Ordering Information

Catalog No./Item

Description/Specifications

EFB6M



Module - Bank of three (3) compartments that accept power, communications and audio/video devices. Accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates. Includes device bracket, back plate, three (3) knockout plates (3/4"/1 1/4" concentric), two (2) end caps and one (1) divider.

NOTE: Module will fit on either Country of Origin: USA side of the floor box.


EFB6-MB



Mounting Bracket - hold up to three (3) devices of power, communications or audio/video devices. Bracket accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates sold separately by others.

Country of Origin: USA


EFB-AAP



Device Plate - holds 2 Extron Electronics AAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA


EFB-MAAP



Device Plate - holds 4 Extron Electronics MAAP devices. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA


EFB-MOS



Device Plate - European device plate accepts up to 45mm x 67.5mml Arteor device. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA


EFB-B



Blank Device Plate - Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA

Catalog No./Item






Description/Specifications

Knockout Plate - Has one (1) 3/4" trade size knockout.

Country of Origin: USA


EFB6-3/4-11/4



Knockout Plate - Has one (1) 1 1/4" concentric trade size knockout opening.

Country of Origin: USA


EFB6-11/4



Knockout Plate - Has one (1) 1 1/4" trade size knockout.

Country of Origin: USA

EFB6-TUN



Tunnel – 6 gang tunnel allows for cables to be wrapped around box from one module to the other.

Country of Origin: USA


EFB6-DIV



Relocatable Divider - Provides separation of services. Includes one (1) divider plate.

Country of Origin: USA

EFBCLL



Concrete Leveling Legs -Provide floor box adjustment up or down to match the desired pour height of the concrete. Included two (2) leveling legs, threaded rod not supplied.

Country of Origin: USA

EFBCMG



Cable Management Guides -Guides help organize and maintain cable position when opening and closing the cover.

Country of Origin: USA

EFB6S-2HUB




2" Conduit Hub - Hub allows conduit to be fed into the back of EFB6S and EFB6S-OG Floor Boxes. Maximum of six (6) hubs per box.

Evolution Series EFB8 Floor Box Ordering Information

Catalog No./Item

EFB8S



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)



Items not included with the box and sold separately:

- · Receptacles,
- Communication Jacks
- A/V Devices
- · Device plates.

Description/Specifications

8-Gang Floor Box – has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. Designed to work with standard size wall plates.

Box comes complete with all components needed for initial installation. Box is compatible with Wiremold® Walkerflex Modular Wiring System.

Custom options are available upon request.

Country of Origin: USA


Components Included:

- A Protective/Disposable Cover
- **B** Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- **D** Two (2) Toggle Clamps to secure box to raised and wood floors
- E Two (2) Cable Management Guides
- **F** Two (2) Leveling Support Legs for concrete applications


G Trade Size Knockouts ranging in size from 3/4" to 2" trade size

Each Module Consists of:


- One (1) EFB8S-MB Mounting Bracket
- One (1) Back Plate
- Two (2) End Caps
- One (1) EFB8S-DIV Divider
- One (1) 2" Trade Size Knockout Plate
- One (1) 1 1/4"/3/4" Concentric Trade Size Knockout Plate



EFB8S Depth Behind Plates




EFB8S Knockout locations & Sizes



Evolution Series EFB8 Floor Box Ordering Information

Catalog No./Item

EFB8S-OG



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)

Description/Specifications

8-Gang Floor Box – has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. Designed to work with standard size wall plates. **Box comes complete with all components needed for initial installation.**

Custom options are available upon request.

Country of Origin: USA

Components Included:

- A Protective/Disposable Cover
- **B** Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- D Two (2) Cable Management Guides
- **E** Two (2) Leveling Support Legs for concrete applications
- **F** Trade Size Knockouts ranging in size from 3/4" to 2" trade size


Each Module Consists of:

- One (1) EFB8S-MB Mounting Bracket
- One (1) Back Plate
- One (1) EFB8S-DIV Divider




Items not included with the box and sold separately:


- · Receptacles,
- Communication Jacks
- A/V Devices
- Device plates.



EFB8S-OG Depth Behind Plates



EFB8S-OG Knockout locations & Sizes




Evolution Series 8-Gang Floor Box Accessories Ordering Information

Catalog No./Item

Description/Specifications


EFB8-MB



Mounting Bracket – holds up to four (4) devices for power, communications or audio/video. Bracket accepts standard size (2 3/4" x 4 1/2" [70mm x 114mm]) device plates sold separately by others.

Country of Origin: USA

EFB8-22GMB



Mounting Bracket – Equipped with two (2) 2-gang standard size device openings for a standard 2-gang (4 9/16" x 4 1/2" [116mm x 114mm]). Ideal for 2-gang A/V devices such as Crestron® 2-gang digital media devices. Device plates and devices supplied by others.

Country of Origin: USA

EFB8-4GMB



Mounting Bracket – Holds a standard 4 gang device plate. Device plate dimensions: 8 1/8" x 4 1/4" [206mm x 116mm].

Country of Origin: USA

EFB-AAP



Device Plate – holds two (2) Extron Electronics AAP devices. Device® plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA


EFB-MAAP



Device Plate – holds four (4) Extron Electronics MAAP devices. Device®plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA

EFB-MOS



Device Plate – European device plate accepts up to [45mm x 67.5mm] Arteor device. Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA

EFB-B




Blank Device Plate – Device plate dimensions: 2 3/4" x 4 1/2" [69mm x 114mm].

Country of Origin: USA

Catalog No./Item





Description/Specifications

Knockout Plate – Has two (2) 3/4" trade size knockouts.

Country of Origin: USA

EFB810-3/4-11/4



Knockout Plate – Has one 3/4" and one 3/4"/1 1/4" concentric trade size knockout.

Country of Origin: USA


EFB810-2



Knockout Plate – Has one 2" trade size knockout.

Country of Origin: USA

EFB810-TUN



Tunnel – For EFB8 Series and EFB10 Series boxes. Tunnel allows cables to be wrapped around box from one module to the other.

Country of Origin: USA

EFB810-DIV



Relocatable Divider – Provides separation of services. Includes one divider plate.

Country of Origin: USA

EFBCLL




Concrete Leveling Legs – Legs allow floor box to be adjusted up or down to match the desired pour height of the concrete. Includes two (2) leveling legs. Threaded rod not supplied.

Evolutio	n Series 8-Gang Floor Box A	cce	essories Ordering	Information (continued)
Catalog No./Item	Description/Specifications		Catalog No./Item	Description/Specifications
EFBCMG	Cable Management Guides – Guides help organize and maintain cable position when opening and closing the cover. Country of Origin: USA		EFB-50A	50A Adapter – Allows for a 50A device to be installed on the 8-gang and 10-gang series boxes. Country of Origin: USA NOTE: Only fits on othe side of the floor box where the device is facing the tunnel.

Evolution Series EFB10 Floor Box Ordering Information

Catalog No./Item

EFB10S



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)



Items not included with the box and sold separately:

- · Receptacles,
- Communication Jacks
- A/V Devices
- · Device plates.

Description/Specifications

10-Gang Floor Box – has been designed to be installed in concrete floors, raised floors, & wood floor applications. Box has a fully finished interior to assist plugging and unplugging of devices. **Box comes complete with all components needed for initial installation.** Box is compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.

Country of Origin: USA


Components Included:

- A Protective/Disposable Cover
- **B** Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- **D** Two (2) Toggle Clamps to secure box to raised and wood floors
- E Two (2) Cable Management Guides
- **F** Two (2) Leveling Support Legs for concrete applications
- **G** Trade Size Knockouts ranging in size from 3/4" to 2" trade size


H Two (2) "L" Brackets

Each Module Consists of:


- One (1) EFB10S-MB Mounting Bracket
- · One (1) Back Plate
- Two (2) End Caps
- One (1) EFB10S-DIV Divider
- One (1) 2" Trade Size Knockout Plate
- One (1) 1 1/4"/3/4" Concentric Trade Size Knockout Plate



EFB10S Depth Behind Plates




EFB10S Knockout locations & Sizes



Evolution Series EFB10 Floor Box Ordering Information

Catalog No./Item

EFB10S-OG



NOTE: For use on bare (polished) concrete or terrazzo floors EFB610-CTR must be used. (Sold separately.)

Items not included with the box and sold separately:

- · Receptacles.
- Communication Jacks
- A/V Devices
- · Device plates.

Description/Specifications

10-Gang Floor Box - has been designed to be installed in both on-grade and above grade concrete floor applications. Box has an epoxy coating that allows the box to be placed in on-grade applications without the need for additional vapor barriers. Box comes complete with all components needed for initial installation. Custom options are available upon request.


Country of Origin: USA

Components Included:


- A Protective/Disposable Cover
- B Tunnel System for connecting the two modules of compartments
- C Two (2) Removable Modules
- D Two (2) Cable Management Guides
- E Two (2) Leveling Support Legs for concrete applications
- F Trade Size Knockouts ranging in size from 3/4" to 2" trade size

Each Module Consists of:


- One (1) EFB10S-MB Mounting Bracket
- One (1) Back Plate
- One (1) EFB10S-DIV Divider



EFB10S-OG Depth Behind Plates



EFB10S-OG Knockout locations & Sizes




Evolution Series 10-Gang Floor Box Accessories Ordering Information

Catalog No./Item

Description/Specifications


EFB10-MB



Mounting Bracket – hold up to five (5) devices for power, communications or audio/video. Bracket accepts EFB10 Series device plates (2 1/32" x 4 5/8") [58mm x 117mm] device plates sold separately.

Country of Origin: USA

EFB10-23GMB




Mounting Bracket – Equipped with one 2-gang standard size device opening and one 3-gang standard size device opening.

Accepts a standard 2-gang (4 9/16" x 4 1/2" [116mm x 114mm]) and a 3-gang (6 3/8" x 4 1/2" [162mm x 114mm]) device plate. Ideal for 2-gang A/V devices such as Crestron® 2-gang and 3-gang digital media devices. Device plates and devices supplied by others.

Country of Origin: USA

EFB10-5GMB



Mounting Bracket – Holds a standard 5 gang device plate Device plate dimensions: 10" x 4 1/2" [254mm x 116mm].

Country of Origin: USA


EFB10-B



Blank Device Plate – Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].

Country of Origin: USA

EFB10-DP




Duplex Device Plate – Device plate dimensions: 2.3" x 4.652" [58mm x 118mm]. Includes receptacle spacers.

Country of Origin: USA

Catalog No./Item

EFB10-DEC




Description/Specifications

December Otale Decise Dist

Decorator Style Device Plate – For use with decorator style receptacles, GFCI receptacle, and decorator style audio/video devices. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm]. Includes receptacle spacers.

Country of Origin: USA


EFB10-S1



Knockout Plate – Single receptacle 1.39" [35mm]. diameter. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm]. Includes receptacle spacers.

Country of Origin: USA

EFB10-S2



Knockout Plate – Single receptacle 1.59" [40mm]. diameter. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm]. Includes receptacle spacers.

Country of Origin: USA


EFB10-6AB



Device Plate – Accepts up to three (3) dual Wiremold Open System communication adapters. Adapters sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].

Country of Origin: USA


EFB10-3S2



Device Plate – Accepts up to three (3) Ortronics® Series II devices. Ortronics® devices sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].

Country of Origin: USA

EFB10-2C



Device Plate – Accepts one dual Wiremold Open System adapter, or one Ortronics® Series II adapter, or one Ortronics® TracJack adapter. Adapters sold separately. Device plate dimensions: 2.3" x 4.652" [58mm x 118mm].

Evolution Series 10 Gang Floor Box Accessories Ordering Information (continued) **Description/Specifications Description/Specifications** Catalog No./Item Catalog No./Item 5507S-WH **EFB10-AAP** Device Plate - holds two (2) Rectangular Spacer - For mounting commercial device Extron Electronics AAP devices. plates. Installs between the device Device® plate dimensions: 2.3" x 4.652" [58mm x 118mm]. bracket and a device. Country of Origin: USA Country of Origin: USA **EFB10-MAAP** Device Plate - holds four (4) 5507T1-WH Single Receptacle Faceplate -Extron Electronics MAAP devices. For covering single receptacles -Device® plate dimensions: 2.3" x 1.59" [40mm] in diameter. 4.652" [58mm x 118mm]. Country of Origin: USA 0 Country of Origin: USA 5507T2-WH Single Receptacle Faceplate -**EFB10-MOS** Device Plate - [45mm x 67.5mm] For covering single receptacles device plate. Device plate 1.41" [36mm] in diameter. dimensions: 2.3" x 4.652" Country of Origin: USA 0 [58mm x 118mm]. Country of Origin: USA 55074TJ-WH Ortronics® Faceplate -5507B-WH Blank Faceplate - For covering For mounting Ortronics® datacom unused compartments in the inserts. Accepts four (4) TracJack device bracket. devices. Country of Origin: USA Country of Origin: USA 55076TJ-WH Ortronics® Faceplate -5507D-WH **Duplex Receptacle Faceplate -**For mounting Ortronics® datacom For covering duplex style devices. inserts. Accepts six (6) TracJack Accepts 106 frame. devices. Country of Origin: USA Country of Origin: USA 5507R-WH EFB810-3/4-3/4 **Rectangular Receptacle** Knockout Plate - Has two (2) Faceplate - For covering 3/4" trade size knockouts. rectangular decorator Country of Origin: USA style devices. Country of Origin: USA

Evolution Series 10 Gang Floor Box Accessories Ordering Information (continued)

Catalog No./Item

Description/Specifications

EFB810-3/4-11/4


Knockout Plate – Has one 3/4" and one 3/4"/1 1/4" concentric trade size knockout.

Country of Origin: USA

Knockout Plate - Has one


2" trade size knockout.

Country of Origin: USA




EFB810-TUN


EFB810-2



Country of Origin: USA




EFB810-DIV



Country of Origin: USA

Catalog No./Item

EFBCLL



Description/Specifications

Concrete Leveling Legs – Legs allow floor box to be adjusted up or down to match the desired pour height of the concrete. Includes two (2) leveling legs. Threaded rod not supplied.

Country of Origin: USA


EFBCMG



Cable Management Guides – Guides help organize and maintain cable position when opening and closing the cover.

Country of Origin: USA


EFB-50A



50A Adapter – Allows for a 50A device to be installed on the 8 gang and 10 gang series boxes.

Country of Origin: USA

NOTE: Only fits on othe side of the floor box where the device is facing the tunnel.



Evolution Series Floor Box Acce Catalog No./Item **Description/Specifications EFB610CTCBK** Surface Style Cover with **EFB610CTCGY** Carpet Insert - Die cast aluminum **EFB610CTCBS** cover assembly designed to be **EFB610CTCNK** used on top of the floor covering. Available in the following powder EFB610CTCBZ coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10). Country of Origin: India 16 3/8 NOTE: Depth of recess area in 12 1/2" [416mm] plate is 1/4" [6.35mm]. [318mm]

EFB610CTBK Flush Style Cover with **EFB610CTGY** Carpet Insert - Die cast aluminum **EFB610CTBS** cover assembly designed to be **EFB610CTNK** used level (flush) with finish floor EFB610CTBZ covering. Available in the following powder coated finishes: black (BK). gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10gang floor boxes (EFB6, EFB8 and EFB10). Country of Origin: India NOTE: Depth of recess area in 16 3/81 12 1/2" plate is 1/4" [6.35mm]. [416mm] [318mm]


EFB610BTCGY EFB610BTCBS EFB610BTCNK EFB610BTCBZ 16 3/8" [416mm]

EFB610BTCBK

Surface Style Cover with Solid Lid - Die cast aluminum cover assembly designed to be used on top of floor covering. Available in the following powder coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10).

Country of Origin: India


essories Urdering Information				
Catalog No./Item	Description/Specifications			
EFB610BTBK EFB610BTGY EFB610BTBS EFB610BTNK	Flush Style Cover with Solid Lid – Die cast aluminum cover assembly designed to be used on top of floor covering.			
EFB610BTBZ	Available in the following powder			
16 3/8" [416mm]	coated finishes: black (BK), gray (GY), brass (BS), nickel (NK) and bronze (BZ). For use on Evolution Series 6-, 8- and 10-gang floor boxes (EFB6, EFB8 and EFB10). Country of Origin: India			
	[C.O.I.I.I.]			
EFB610CTR	Bare Concrete/Terrazzo Trim Ring – Nonmetallic ring for			





Tile Shim - Used for floor coverings greater than 3/16" [4.7mm]. The EFB610-TS allows the finished cover assembly to be flush with the finished floor. Includes one (1) 1/16" [1.6mm]. one (1) 1/8" [3.2mm] and one 1/4" [6.4mm] tile shims for 7/16" [11.1mm] of upward adjustment.

Country of Origin: USA



Load Capacities for Evolution Series Floor Box Cover Assemblies				
CATALOG NUMBERS	MAXIMUM LOAD IN POUNDS			
EFB610BTC Series	1800			
EFB610CTC Series	1800			
EFB610BT Series	1800			
EFB610CT Series	1800			

NOTE: Load applied through a 3" [76mm] mandrel in center of the cover. Loads above are static loads only and do not pertain to rolling loads.



Evolution Series Floor Box Covers are available in powder coated finishes of: (L to R) gray, nickel, bronze, brass and black.

Evolution Series EFBFF Furniture Feed Floor Box Ordering Information

Catalog No./Item

EFBFF


6 11/16" 7 3/8" [187mm] 4 1/8" [105mm]

NOTE: For use with bare concrete or terrazzo floors. Use FP-CTR Trim Ring.

NOTE: Box is divided down center to allow for separation between power and communication or A/V services.

Description/Specifications

2-Gang Furniture Feed Floor Box Assembly – For carpet, tile and wood covered floors. For use in concrete, raised and wood floor applications. Box is provided with a protective, disposable cover that allows the box to be installed at any point in the construction process. Box is available in a standard version for use in above grade concrete, raised, and wood floor applications. Boxes are also compatible with Wiremold® Walkerflex Modular Wiring System. Custom options are available upon request.






Evolution Series EFBFF Furniture Feed Floor Box Ordering Information (continued)

Catalog No./Item

Description/Specifications


EFBFF-OG





NOTE: For use with bare concrete or terrazzo floors. Use FP-CTR Trim Ring.

NOTE: Box is divided down center to allow for separation between power and communication or A/V services.

2-Gang Furniture Feed Floor Box Assembly – For carpet, tile and wood covered floors. For use in on-grade and above grade concrete floor applications. Box is provided with a protective, disposable cover that allows the box to be installed at any point in the construction process. Box is available with an epoxy coating for on-grade applications. Custom options are available upon request.







Catalog No./Item	Description/Specifications	Catalog No./Item	Description/Specifications
EFBFF-DIV	Divider – Provides separation of services. Country of Origin: USA	FPFFTCBK FPFFTCGY FPFFTCNK FPFFTCAL	Furniture Feed Cover Assembly Flanged cover for use in tile or carpet or wood floor installation Die-cast aluminum assembly available in powder coat finishe of black (BK), bronze (BZ), brass (BS),nickel (NK), gray (GN) or brushed aluminum (AL). Provided with one 1" trade size
FP-CTR	Bare Concrete & Terrazzo Ring – Nonmetallic ring for use on bare polished concrete and terrazzo floor applications. Country of Origin: USA NOTE: Ring must be attached to the floor box before pouring concrete or terrazzo.		screw plug for power or communication type cabling and one combination 1 1/4" and 2" trade size screw plug for communication and A/V type cabling. Allows for feeding both power and communication cabling. Country of Origin: USA
EFBFF-CLL	Concrete Leveling Legs – Legs allow floor box to be adjusted up or down to match the desired pour height of the concrete. Includes two (2) leveling legs. Threaded rod not supplied. Country of Origin: USA	7 3/4" [197mm]	NOTE: Flangeless FloorPort Series (FPFFT) covers are not designed to work with Evolution Series Furniture Feed Floor Boxes.

NOTES

NOTE: All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



NOTE: The paper used to print this document is an environmentally responsible paper with 10% post consumer waste with ESC and SELChair of Custodic actification. waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.



Electrical Wiring Systems

60 Woodlawn Street West Hartford, CT 06110 Phone: 1.877.BY.LEGRAND (295-3472) www.legrand.us

Canada

Phone:905.738.9195 www.legrand.ca

